ENVIRONMENTAL ENTOMOLOGY



Published by the: Entomological Society of America

Volume 2 1973

ENVIRONMENTAL ENTOMOLOGY

WALLACE P. MURDOCH, *Executive Secretary*

JAMES S. PACKER, *Managing Editor*

4603 Calvert Road, College Park, Maryland 20740

ALLEN L. STEINHAUER, *Editor*
4603 Calvert Road
College Park, Maryland 20740

JEANNE E. REMINGTON, *Editor*
Peabody Museum
Yale Station, Connecticut 06520

EDITORIAL BOARD

C. F. WILKINSON, *Chairman,* Ithaca, N. Y. (B, 1973)

W. HAZELTINE, Oroville, Calif. (E, 1974)

R. W. MATTHEWS, Athens, Ga. (A, 1976)

S. C. HOYT, Wenatchee, Wash. (F, 1975)

P. B. KANNOWSKI, Grand Forks, N. Dak. (C, 1977)

H. D. NEWSON, East Lansing, Mich. (D, 1978)

A bimonthly journal devoted to research on the behavior of insects and their interaction with the biological, chemical, and physical constituents of their environment. Authors are entirely responsible for statements in ENVIRONMENTAL ENTOMOLOGY, whether of fact or opinion.

SUBSCRIPTIONS. Nonmembers in North America and U. S. Possessions—$25.00 per year; elsewhere—$26.00. Single copies—$5.00. Members in North America and U. S. Possessions—$12.50 per year; elsewhere—$13.50. Membership dues: Active $15.00; student $3.00. Deliveries overseas are not guaranteed and foreign mailings are made at the subscriber's risk. Subscribers will be charged a service fee of $1.00 for forwarding journals returned to the ESA because of failure of the subscriber to provide a timely change of address.

MISSING NUMBERS cannot be supplied free of charge in North America and U. S. Possessions unless notice is received within 60 days after the appearance of issues concerned. The Executive Secretary will be glad to quote prices for back numbers.

REPRINTS. A reprint price schedule that applies to orders received before ENVIRONMENTAL ENTOMOLOGY goes to press is shown on the order blank sent with galley proof. No reprints are furnished gratis. For price schedule see BULLETIN OF THE ENTOMOLOGICAL SOCIETY OF AMERICA 19(2): 74, June 1973.

BUSINESS COMMUNICATIONS and matters pertaining to subscriptions and advertisements should be sent to the Executive Secretary. Changes of address must be received 5 days prior to the month of issue to be effective for that month.

MANUSCRIPTS and other copy should be sent to the Executive Secretary. Authors are urged to consult "Publication Policies and Instructions for Contributors" before submitting manuscripts (BULLETIN OF THE ENTOMOLOGICAL SOCIETY OF AMERICA 19(2): 85, June 1973). Reproduction of abstracts is authorized. Page charges are $40.00 per page, partial pages proportionately.

ENTOMOLOGICAL SOCIETY OF AMERICA

OFFICERS–1973

President—G. E. GUYER, East Lansing, Michigan
President-elect—P. L. ADKISSON, College Station, Texas
Executive Secretary—W. P. MURDOCH, College Park, Maryland

GOVERNING BOARD

G. E. GUYER, East Lansing, Michigan (1974)

P. L. ADKISSON, College Station, Texas (President-elect, 1975)
T. A. BRINDLEY, Ankeny, Iowa (North Central, 1975)
STANLEY COPPOCK, JR., Stillwater, Oklahoma (Southwestern, 1973)
G. B. CRAIG, JR., Notre Dame, Indiana (D, 1974)
W. G. EDEN, Gainesville, Florida (Past President, 1973)
G. P. GEORGHIOU, Riverside, California (B, 1975)
R. H. HARWOOD, Pullman, Washington (Pacific, 1974)
P. D. HURD, Washington, D. C. (A, 1975)
L. C. KUITERT, Gainesville, Florida (Southeastern, 1974)
F. L. MCEWEN, Guelph, Ontario (C, 1973)
W. P. MURDOCH, College Park, Maryland (Non-voting)
L. A. RIEHL, Riverside, California (F, 1973)
H. E. SCOTT, Raleigh, North Carolina (E, 1974)
R. W. SHERMAN, Silver Spring, Maryland (Eastern, 1973)

BRANCH OFFICERS

President

J. B. KRING—New Haven, Connecticut (Eastern)
D. L. GOLEMAN—Columbus, Ohio (North Central)
R. O. DRUMMOND—Kerrville, Texas (Southwestern)
L. D. ANDERSON—Riverside, California (Pacific)
T. R. PFRIMMER—Leland, Mississippi (Southeastern)

President-elect

C. H. HOFFMAN—Hyattsville, Maryland (Eastern)
J. T. SCHULTZ—Fargo, North Dakota (North Central)
H. L. MCMENEMY—Dallas, Texas (Southwestern)
W. W. ALLEN—Berkeley, California (Pacific)
S. B. HAYS—Clemson, South Carolina (Southeastern)

Secretary-Treasurers

H. T. STREU—New Brunswick, New Jersey (Eastern)
T. J. HELMS—Lincoln, Nebraska (North Central)
W. H. NEWTON—College Station, Texas (Southwestern)
R. D. CARTER—San Leandro, California (Pacific)
J. B. GRAVES—Baton Rouge, Louisiana (Southeastern)

AUTHOR INDEX, VOLUME 2, 1973

February 1-158
April 159-307
June 309-490
August 491-728
October 729- 966
December 967-1140

A

ADAMES, ABDIEL J., see PEDRO GALINDO 81

ADAMS, J. R., see A. M. HEIMPEL 72

ADAMS, J. R., see D. V. LIGHTNER 611

AHMAD, ZAHOOR, and CARL JOHANSEN—Selective Toxicity of Carbophenothion and Trichlorfon to the Honey Bee and the Alfalfa Leafcutting Bee 27

AKRE, R. D., see J. F. MACDONALD 375

ALINIAZEE, M. T.—Oxygen Toxicity in *Tribolium* Species 293

ALLEN, W. A., and R. L. PIENKOWSKI—Parasites Reared from Puparia of the Frit Fly, *Oscinella frit*, in Virginia 615

AMMAN, GENE D.—Population Changes of the Mountain Pine Beetle in Relation to Elevation 541

ANDERSON, JOHN F., and HARRY K. KAYA—Influence of Elm Spanworm Oviposition Sites on Parasitism by *Ooencyrtus clisiocampae* and *Telenomus alsophilae* 705

ANDERSON, JOHN F., and HARRY K. KAYA—Release and Recovery of the Elm Spanworm Egg Parasitoid, *Ooencyrtus clisiocampae*, in Connecticut 722

ANDERSON, R. F., see C. M. IGNOFFO 337

ANDERSON, S. J., see P. V. VAIL 339

ARBOGAST, R. T., see J. W. PRESS 335

ARCHER, T. L., see R. H. CATE 549

ARCHER, T. L., and R. D. EIKENBARY—Storage of *Aphelinus asychis*, a Parasite of the Greenbug 489

ARCHER, T. L., C. L. MURRAY, R. D. EIKENBARY, K. J. STARKS, and R. D. MORRISON—Cold Storage of *Lysiphlebus testaceipes* Mummies 1104

ARIARATNAM, V., see G. P. GEORGHIOU 369

ASHLEY, TOM R., D. GONZALEZ, and T. F. LEIGH—Reduction in Effectiveness of Laboratory-Reared *Trichogramma* 1069

ATKINS, MICHAEL D., see PAUL M. TUSKES .. 619

ATMAR, J. W., and J. J. ELLINGTON—An Advanced Environmental Chamber Control System 88

ATMAR, J. W., J. L. POOLER, F. C. WEBB, G. M. FLACHS, and J. J. ELLINGTON—Construction of a Device to Identify and Count Insects Automatically 713

ATMAR, J. W., see W. P. EUBANK 491

AXELROD, HAROLD, see MIR S. MULLA 409

B

BAILEY, DONALD L., and D. W. MEIFERT—Feeding Incidence of Stable Flies on Beef Cattle, as Influenced by Temperature, Relative Humidity, and Light 1125

BAKER, J. E., and J. A. MABIE—Feeding Behavior of Larvae of *Plodia interpunctella* .. 627

BANKS, W. A., C. S. LOFGREN, D. P. JOUVENAZ, D. P. WOJCIK, and J. W. SUMMERLIN—An Improved Mirex Bait Formulation for Control of Imported Fire Ants 182

BARIOLA, L. A., see H. M. FLINT 97

BARIOLA, L. A., A. C. BARTLETT, R. T. STATEN, R. W. ROSANDER, and J. C. KELLER—Partially Sterilized Adult Pink Bollworms: Releases in Cages and Field Cause Chromosomal Aberrations 173

BARIOLA, L. A., J. C. KELLER, D. L. TURLEY, and J. R. FARRIS—Migration and Population Studies of the Pink Bollworm in the Arid West 205

BARTLETT, A. C., see L. A. BARIOLA 173

BATISTE, WILLIAM C., A. BERLOWITZ, W. H. OLSON, J. E. DETAR, and J. L. JOOS—Codling Moth: Estimating Time of First Egg Hatch in the Field—A Supplement to Sex Attractant Traps in Integrated Control ... 387

BATISTE, WILLIAM C., WILLIAM H. OLSON, and ARTHUR BERLOWITZ—Codling Moth: Diel Periodicity of Catch in Synthetic Sex Attractant vs. Female-Baited Traps 673

BATZER, HAROLD O. — Defoliation by the Spruce Budworm Stimulates Epicormic Shoots on Balsam Fir 727
BAUMHOVER, A. H., see W. W. CANTELO ..48, 1033
BEARD, RAIMON L.—Ants as Predators of *Reticulitermes flavipes* 397
BELL, ROBERT A., see LEO E. LACHANCE ... 653
BERDEL, RICHARD L., see GORDON D. WALLER 255
BERLOWITZ, A., see WILLIAM C. BATISTE ... 387
BERLOWITZ, ARTHUR, see WILLIAM C. BATISTE 673
BEROZA, M., see H. G. DAVIS 569
BEROZA, MORTON, see DAVID A. CARLSON ... 555
BEROZA, MORTON, see RICHARD L. JONES ... 593
BEROZA, MORTON, L. J. STEVENS, B. A. BIERL, F. M. PHILIPS, and J. G. R. TARDIF—Pre- and Postseason Field Tests with Disparlure, the Sex Pheromone of the Gypsy Moth, to Prevent Mating 1051
BERRYMAN, ALAN A., and LEON V. PIENAAR —Simulation of Intraspecific Competition and Survival of *Scolytus ventralis* Broods (Coleoptera: Scolytidae) 447
BHATKAR, A., see W. H. WHITCOMB 1101
BIERL, B. A., see MORTON BEROZA 1051
BIERL, BARBARA A., see RICHARD L. JONES .. 593
BILEWICZ-PAWIŃSKA, TERESA, see C. C. LOAN 271
BLOCKER, H. D., see C. E. MASON 214
BLOUNT, V. N., see G. L. GREENE 1113
BOENING, O. P., see C. M. IGNOFFO 302
BOLDT, PAUL E., NORMAN MARSTON, and WILLARD A. DICKERSON—Differential Parasitism of Several Species of Lepidopteran Eggs by Two Species of *Trichogramma* ... 1121
BORDEN, JOHN H., see HENDRIK VLUG 1016
BOUSFIELD, W. E., and R. C. LOOD—Parasites of the Larch Casebearer in Montana, Idaho, and Washington 212
BOWEN, W. R., see E. F. LEGNER 199
BRANIGER, C. E., see G. R. PLATNER 1118
BREELAND, S. G., see G. P. GEORGHIOU 369
BRIGGS, D. L., see R. W. THORP 525
BROWER, JOHN H.—Melanic *Plodia interpunctella:* A Useful Tool for the Sterile-Male Technique 1128
BROWN, JOHN L., and NEAL R. SPENCER— *Vogtia malloi,* a Newly Introduced Phycitine Moth (Lepidoptera: Pyralidae) to Control Alligatorweed 519
BUFFAM, P. E., C. K. LISTER, R. E. STEVENS, and R. H. FRYE — Fall Cacodylic Acid Treatments to Produce Lethal Traps for Spruce Beetles 259
BURLEIGH, JOSEPH G., JERRY H. YOUNG, and ROBERT D. MORRISON — Strip-Cropping's Effect on Beneficial Insects and Spiders Associated with Cotton in Oklahoma 281
BURTON, R. L., see C. R. GENTRY 159
BUTLER, LINDA, see TIM P. YOHO 1092
BUTT, B. A., see L. D. WHITE 66
BUTT, B. A., L. D. WHITE, H. R. MOFFITT, D. O. HATHAWAY, and L. G. SCHOENLEBER —Integration of Sanitation, Insecticides, and Sterile Moth Releases for Suppression of Populations of Codling Moths in the Wenas Valley of Washington 208

C

CALKINS, C. O., and V. M. KIRK—Food Preferences of a False Wireworm, *Eleodes suturalis* 105
CAMORS, F. B., JR., and THOMAS L. PAYNE— Sequence of Arrival of Entomophagous Insects to Trees Infested with the Southern Pine Beetle 267
CAMPBELL, JOHN B., see JAMES E. WRIGHT .. 69
CANTELO, W. W., A. H. BAUMHOVER, T. J. HENNEBERRY, and J. S. SMITH, JR.—Attempted Suppression of the Tobacco Hornworm with Sterile Males 48
CANTELO, W. W., J. S. SMITH, JR., A. H. BAUMHOVER, J. M. STANLEY, T. J. HENNEBERRY, and M. B. PEACE—Changes in the Population Levels of 17 Insect Species During a 3½-Year Blacklight Trapping Program 1033
CANTELO, WILLIAM W.—Dye Markers for Moths of the Tobacco Hornworm 393
CAMERON, E. ALAN, and L. D. RHOADS—Oviposition by *Brachymeria intermedia* in the Presence of Disparlure 485
CARDÉ, R. T., see W. L. ROELOFS 252
CARDÉ, RING T., see CHARLES C. DOANE 603
CARLSON, DAVID A., and MORTON BEROZA— Field Evaluations of (*Z*)-9-Tricosene, a Sex Attractant Pheromone of the House Fly .. 555
CATE, R. H., T. L. ARCHER, R. D. EIKENBARY, K. J. STARKS, and R. D. MORRISON— Parasitization of the Greenbug by *Aphelinus asychis* and the Effect of Feeding by the Parasitoid on Aphid Mortality 549
CENTER, TED D., and CLARENCE D. JOHNSON —Comparative Life Histories of *Sennius* (Coleoptera: Bruchidae) 669
COGBURN, ROBERT R.—Stored-Product Insect Populations in Boxcars Delivering Flour and Rice to Gulf Coast Ports 427
COGBURN, ROBERT R.—Stored-Product Insect Populations in Port Warehouses of the Gulf Coast 401
COLBURN, R. B., see A. G. WHEELER, JR. ... 718

COLE, WALTER E.—Crowding Effects Among Single-Age Larvae of the Mountain Pine Beetle, *Dendroctonus ponderosae* (Coleoptera: Scolytidae) 285

COLLINS, MARGARET S., MICHAEL I. HAVERTY, JEFFERY P. LA FAGE, and WILLIAM L. NUTTING—High-Temperature Tolerance in Two Species of Subterranean Termites from the Sonoran Desert in Arizona 1122

CONNELL, W. A., see KARL W. SIMPSON 319

COONS, L. B., see L. G. SELLERS 296

COPPEDGE, J. R., see A. W. HARTSTACK, JR... 244

COULSON, ROBERT N., see D. A. CROSSLEY, JR. 1097

CROFT, B. A., see E. E. NELSON 219

CROFT, B. A., and D. L. MCGROARTY—A Model Study of Acaricide Resistance, Spider Mite Outbreaks, and Biological Control Patterns in Michigan Apple Orchards 633

CROFT, B. A., and R. H. MEYER—Carbamate and Organophosphorus Resistance Patterns in Populations of *Amblyseius fallacis* 691

CROFT, B. A., and P. G. STEWART—Toxicity of One Carbamate and Six Organophosphorus Insecticides to O-P Resistant Strains of *Typhlodromus occidentalis* and *Amblyseius fallacis* 486

CROSS, W. H., see W. L. JOHNSON 112

CROSSLEY, D. A., JR., ROBERT N. COULSON, and CLAYTON S. GIST—Trophic Level Effects on Species Diversity in Arthropod Communities of Forest Canopies 1097

CRYSTAL, MAXWELL M.—Chemosterilization of Screwworm Flies: Modification of Action by Temperature 145

CUPP, E. W., and J. O'NEAL—The Morphogenetic Effects of Two Juvenile Hormone Analogues on Larvae of Imported Fire Ants 191

D

DATERMAN, G. E., see T. D. FITZGERALD ... 607

DAVIS, D. R., see C. R. GENTRY 1074

DAVIS, FRANK M., C. A. HENDERSON, and THOMAS G. OSWALT—Mortality of Overwintering Southwestern Corn Borers in Mississippi 86

DAVIS, H. G., see R. H. GROTHAUS 717

DAVIS, H. G., R. W. ZWICK, W. M. ROGOFF, T. P. MCGOVERN, and M. BEROZA—Perimeter Traps Baited With Synthetic Lures for Suppression of Yellowjackets in Fruit Orchards 569

DAVIS, R., see J. W. PRESS 335

DE LAS CASAS, E., P. K. HAREIN, D. R. DESHMUKH, and B. S. POMEROY—The Relationship Between the Lesser Mealworm and Avian Viruses. 1. Reovirus 24 1043

DELL, BERT, see MIR S. MULLA 58

DELOACH, C. J., see J. V. RICHERSON 138

DESHMUKH, D. R., see E. DE LAS CASAS 1043

DETAR, J. E., see WILLIAM C. BATISTE 387

DE VOL, JOSEPH E., and RICHARD D. GOEDEN—Biology of *Chelinidea vittiger* with Notes on Its Host-Plant Relationships and Value in Biological Weed Control 231

DEWEY, JERALD E.—Accumulation of Fluorides by Insects Near an Emission Source in Western Montana 179

DICKERSON, WILLARD A., see PAUL E. BOLDT 1121

DOANE, CHARLES C., and RING T. CARDÉ—Competition of Gypsy Moth Males at a Sex-Pheromone Source and a Mechanism for Terminating Searching Behavior 603

DOUTT, RICHARD L., and JOHN NAKATA—The *Rubus* Leafhopper and Its Egg Parasitoid: An Endemic Biotic System Useful in Grape-Pest Management 381

DREA, J. J., JR., L. DURESEAU, and E. RIVET—Biology of *Peristenus stygicus* from Turkey, a Potential Natural Enemy of Lygus Bugs in North America 278

DROOZ, A. T., see G. F. FEDDE 1123

DRUMMOND, R. O., see J. L. ESCHLE 976

DUFF, WILLA G., and ROBERT E. MENZER—Persistence, Mobility, and Degradation of ^{14}C-Demethoate in Soils 309

DURESEAU, L., see J. J. DREA, JR. 278

E

EATON, A. T., see A. G. GENTILE 473

EDWARDS, L. J., see L. R. NAULT 101

EHLER, L. E., see K. G. EVELEENS 497

EHLER, L. E., K. G. EVELEENS, and R. VAN DEN BOSCH—An Evaluation of Some Natural Enemies of Cabbage Looper on Cotton in California 1009

EIKENBARY, R. D., see T. L. Archer 489, 1104

EIKENBARY, R. D., see R. H. CATE 549

ELLINGTON, J. J., see J. W. ATMAR 88, 713

ELLINGTON, J. J., see W. P. EUBANK 491

ELSEY, KENT D.—*Jalysus spinosus:* Effect of Insecticide Treatments on This Predator of Tobacco Pests 240

ELSEY, KENT D.—*Jalysus spinosus:* Spring Biology and Factors That Influence Occurrence of the Predator on Tobacco in North Carolina 421

ERDMAN, HOWARD E.—Effects of Chronic ^{60}Co (Gamma) Radiation, Dose Rate, Temperature, and Cohabitation on Population Performance of Flour Beetles 41
ERDMAN, HOWARD E., see MELINDA L. KINKADE 75
ERICKSON, E. H., see R. W. THORP 525
ERICKSON, E. H., L. O. WHITEFOOT, and W. A. KISSINGER—Honey Bees: A Method of Delimiting the Complete Profile of Foraging from Colonies 531
ESCHLE, J. L., see C. D. SCHMIDT 223
ESCHLE, J. L., S. E. KUNZ, C. D. SCHMIDT, B. F. HOGAN, and R. O. DRUMMOND—Suppression of a Population of Horn Flies with the Sterile-Male Technique 976
EUBANK, W. P., J. W. ATMAR, and J. J. ELLINGTON—The Significance and Thermodynamics of Fluctuating Versus Static Thermal Environments on *Heliothis zea* Egg Development Rates 491
EVELEENS, K. G., see L. E. EHLER 1009
EVELEENS, K. G., R. VAN DEN BOSCH, and L. E. EHLER—Secondary Outbreak Induction of Beet Armyworm by Experimental Insecticide Applications in Cotton in California 497
EVES, JACK D., see CARL A. JOHANSEN 23, 515

F

FARGERLUND, J., see J. G. SHAW 1062
FARRIER, M. H., see LOUIS J. METZ 433
FARRIS, J. R., see L. A. BARIOLA 205
FEATHERSTON, PAUL E., see JOHN ERIC HALFHILL 469
FEDDE, G. F., C. L. MORRIS, and A. T. DROOZ—Delayed Parasitism of Fall Cankerworm Eggs in Virginia 1123
FITZGERALD, T. D., A. D. ST. CLAIR, G. E. DATERMAN, and R. G. SMITH—Slow Release Plastic Formulation of the Cabbage Looper Pheromone *cis*-7-Dodecenyl Acetate: Release Rate and Biological Activity 607
FLACHS, G. M., see J. W. ATMAR 713
FLAHERTY, B. R., see J. W. PRESS 147, 335
FLINT, H. M., R. T. STATEN, L. A. BARIOLA, and D. L. PALMER—Gamma-Irradiated Pink Bollworms: Attractiveness, Mating, and Longevity of Females 97
FLUNO, J. A., see R. H. GROTHAUS 717
FORTEATH, G. N. R., see A. W. OSBORN 419
FOSTER, CLARA H., GEORGETTE D. RENAUD, and KIRBY L. HAYS—Some Effects of the Environment on Oviposition by *Chrysops* (Diptera: Tabanidae) 1048
FOX, LEE, and B. J. LANDIS—Notes on the Predaceous Habits of the Gray Field Slug, *Deroceras laeve* 306
FRAZER, B. D., and R. VAN DEN BOSCH—Biological Control of the Walnut Aphid in California: The Interrelationship of the Aphid and Its Parasite 561
FRYE, R. H., see P. E. BUFFAM 259
FUJII, JACK K., see MINORU TAMASHIRO 721
FUSCO, ROBERT A., and ARTHUR A. HOWER, JR.—Host Influence on the Laboratory Production of the Parasitoid, *Microctonus aethiops* (Nees) 971

G

GAGE, S. H., see J. A. WEBSTER 1089
GALINDO, PEDRO, and ABDIEL J. ADAMES—Ecological Profile of *Culex* (*Melanoconion*) *aikenii* (Diptera: Culicidae), Vector of Endemic Venezuelan Encephalitis in Panama 81
GARY, N. E., P. C. WITHERELL, and J. M. MARSTON—Distribution of Foraging Bees Used to Pollinate Alfalfa 573
GASTON, LYLE K., see J. R. MCLAUGHLIN .. 488
GENTILE, A. G., A. W. VAUGHAN, SUSAN M. RICHMAN, and A. T. EATON—Corn Pollen Germination and Tube Elongation Inhibited or Reduced by Commercial and Experimental Formulations of Pesticides and Adjuvants 473
GENTRY, C. R., and D. R. DAVIS—Weather: Influence on Catches of Adult Cabbage Loopers in Traps Baited with BL Only or with BL Synthetic Sex Pheromone 1074
GENTRY, C. R., J. R. YOUNG, and R. L. BURTON — Effectiveness of Blacklight-Chemosterilant Feeder and *Trichogramma* spp. in Reducing Egg Hatch of *Heliothis* spp. in a Large Field Cage 159
GEORGHIOU, G. P., S. G. BREELAND, and V. ARIARATNAM—Seasonal Escalation of Organophosphorus and Carbamate Resistance in *Anopheles albimanus* by Agricultural Sprays 369
GERLING, DAN, see NOAH ROTARY 134
GETZIN, L. W.—Persistence and Degradation of Carbofuran in Soil 461
GILES, F. E., S. G. MIDDLETON, and J. G. GRAU—Evidence for the Accumulation of Atmospheric Lead by Insects in Areas of High Traffic Density 299
GIST, CLAYTON S., see D. A. CROSSLEY, JR. .. 1097
GOEDEN, RICHARD D., see JOSEPH E. DE VOL 231
GONZALEZ, D., see TOM R. ASHLEY 1069
GRAHAM, H. M., see D. E. HENDRICKS 1085

GRAU, J. G., see F. E. GILES 299
GREENBERG, BERNARD — Do Extreme Low-Frequency Electromagnetic Fields Affect Soil Arthropods? Ongoing Studies at the Wisconsin Test Facility 643
GREENE, G. L., see WENDELL L. MORRILL 195, 415
GREENE, G. L., J. C. REID, V. N. BLOUNT, and T. C. RIDDLE—Mating and Oviposition Behavior of the Velvetbean Caterpillar in Soybeans 1113
GREER, P. A., see D. L. HOSTETTER 1109
GROSCH, DANIEL S., and ALBERT C. HOFFMAN—The Vulnerability of Specific Cells in the Oogenetic Sequence of *Bracon hebetor* Say to Some Degradation Products of Carbamate Pesticides 1029
GROTHAUS, R. H., H. G. DAVIS, W. M. ROGOFF, J. A. FLUNO, and J. M. HIRST—Baits and Attractants for East Coast Yellowjackets, *Vespula* spp. 717
GUTHRIE, F. E., see L. G. SELLERS 296

H

HALFHILL, JOHN ERIC, and PAUL E. FEATHERSTON—Inundative Releases of *Aphidius smithi* Against *Acyrthosiphon pisum* 469
HALL, CHARLES V., see GOVIND C. SHARMA .. 154
HAREIN, P. K., see E. DE LAS CASAS 1043
HARTSTACK, A. W., JR., J. P. HOLLINGSWORTH, R. L. RIDGWAY, and J. R. COPPEDGE—A Population Dynamics Study of the Bollworm and the Tobacco Budworm with Light Traps 244
HATHAWAY, D. O., see B. A. BUTT 208
HAVERTY, MICHAEL I., see MARGARET S. COLLINS 1122
HAYNES, DEAN L., see WILLIAM G. RUESINK 161
HAYS, KIRBY L., see CLARA H. FOSTER 1048
HAYS, KIRBY L., see ALBERT W. JOHNSON .. 1116
HEIMPEL, A. M., see D. V. LIGHTER 611
HEIMPEL, A. M., E. D. THOMAS, J. R. ADAMS, and L. J. SMITH—The Presence of Nuclear Polyhedrosis Viruses of *Trichoplusia ni* on Cabbage from the Market Shelf 72
HENDERSON, C. A., see FRANK M. DAVIS ... 86
HENDRICKS, D. E., H. M. GRAHAM, and J. R. RAULSTON—Dispersal of Sterile Tobacco Budworms from Release Points in Northeastern Mexico and Southern Texas 1085
HENDRY, L. B., L. ROMAN, and R. O. MUMMA —Evidence of a Sex Pheromone in the Oak Leaf Roller, *Archips semiferanus* (Lepidoptera: Tortricidae): Laboratory and Field Bioassays 1024
HENNEBERRY, T. J., see W. W. CANTELO ..48, 1033
HENSLEY, S. D., see Y. S. PAN 149
HESTER, PHIL, see JAMES E. WRIGHT 69
HILL, W. B., see J. F. MACDONALD 375
HINCKLEY, A. DEXTER — Concentration of Oak Aphids, *Myzocallis* spp., on Irradiated White Oaks 697
HIRST, J. M., see R. H. GROTHAUS 717
HOBZA, R. F., see E. F. LEGNER 199
HOFFMAN, ALBERT C., see DANIEL S. GROSCH 1029
HOGAN, B. F., see J. L. ESCHLE 976
HOLLINGSWORTH, J. P., see A. W. HARTSTACK, JR. 244
HOSTETTER, D. L., see C. M. IGNOFFO 302
HOSTETTER, D. L., R. E. PINNELL, P. A. GREER, and C. M. IGNOFFO—A Granulosis Virus of *Pieris rapae* as a Microbial Control Agent on Cabbage in Missouri 1109
HOWITT, A. J., see E. E. NELSON 219
HOWER, ARTHUR A., JR., see ROBERT A. FUSCO 971
HUTT, R. B., see L. D. WHITE 66

I

IGNOFFO, C. M., see D. L. HOSTETTER 1109
IGNOFFO, C. M., R. F. ANDERSON, and G. WOODARD—Teratogenic Potential in Rats Fed the Nuclear Polyhedrosis Virus of *Heliothis* 337
IGNOFFO, C. M., F. D. PARKER, O. P. BOENING, R. E. PINNELL, and D. L. HOSTETTER —Field Stability of the *Heliothis* Nucleopolyhedrosis Virus on Corn Silks 302

J

JAY, D. L., see P. V. VAIL 339
JELLUM, MILTON D., see JAMES W. TODD .. 685
JOHANSEN, CARL, see ZAHOOR AHMAD 27
JOHANSEN, CARL A., and JACK D. EVES—Development of a Pest Management Program on Alfalfa Grown for Seed 515
JOHANSEN, CARL A., and JACK D. EVES—Effects of Chilling, Humidity and Seasonal Conditions on Emergence of the Alfalfa Leafcutting Bee 23
JOHNSON, ALBERT W., and KIRBY L. HAYS—Some Predators of Immature Tabanidae (Diptera) in Alabama 1116
JOHNSON, CLARENCE D., see TED D. CENTER 669
JOHNSON, O. A., see D. E. WAGONER 128

JOHNSON, ODELL A., and DALE E. WAGONER —House Fly: Partial Reproductive Isolation Among Six Strains 77
JOHNSON, W. L., W. H. CROSS, W. L. MCGOVERN, and H. C. MITCHELL—Biology of *Heterolaccus grandis* in a Laboratory Culture and Its Potential as an Introduced Parasite of the Boll Weevil in the United States 112
JONES, A. L., see E. E. NELSON 219
JONES, RICHARD L., W. J. LEWIS, MORTON BEROZA, BARBARA A. BIERL, and A. N. SPARKS—Host-Seeking Stimulants (Kairomones) for the Egg Parasite, *Trichogramma evanescens* 593
JOOS, J. L., see WILLIAM C. BATISTE 387
JOUVENAZ, D. P., see W. A. BANKS 182

K

KAAE, R. S., see J. R. MCLAUGHLIN 488
KAAE, R. S., and H. H. SHOREY—Sex Pheromones of Lepidoptera. 44. Influence of Environmental Conditions on the Location of Pheromone Communication and Mating in *Pectinophora gossypiella* 1081
KAMM, J. A.—Biotic Factors that Affect Sod Webworms in Grass Seed Fields in Oregon 94
KAYA, HARRY K., see JOHN F. ANDERSON ..705, 722
KEASTER, ARMON J., see RANALD H. LANGILLE 225
KELLER, J. C., see L. A. BARIOLA 173, 205
KERR, S. H., see PAULINE O. LAWRENCE 477
KERR, S. H., see D. R. MINNICK 481, 597
KIRK, V. M., see C. O. CALKINS 101
KINKADE, MELINDA L., and HOWARD E. ERDMAN—Dietary and Density Dependent Factors in the Induction of Population Autocide of Flour Beetles, *Tribolium confusum* 75
KISHABA, A. N., see H. H. TOBA 118
KISLOW, CYNTHIA J., see ROBERT W. MATTHEWS 157
KISSINGER, W. A., see E. H. ERICKSON 531
KNAPP, F. W., see C. E. ROGERS 11
KOGAN, M., see G. P. WALDBAUER 441
KUNZ, S. E., see J. L. ESCHLE 976

L

LABRECQUE, G. C., see D. E. WAGONER 128
LACHANCE, LEO E., ROBERT A. BELL, and R. D. RICHARD—Effect of Low Doses of Gamma Irradiation on Reproduction of Male Pink Bollworms and Their F_1 Progeny 653
LA FAGE, JEFFERY P., see MARGARET S. COLLINS 1122
LAI, PO-YUNG, see MINORU TAMASHIRO 721
LANDIS, B. J., see LEE FOX 306
LANGILLE, RANALD H., and ARMON J. KEASTER—Mating Behavior of the Southwestern Corn Borer 225
LAWRENCE, PAULINE O., S. H. KERR, and W. H. WHITCOMB—*Chrysopa rufilabris:* Effect of Selected Pesticides on Duration of Third Larval Stadium, Pupal Stage, and Adult Survival 477
LECATO, G. LEONARD, and THELMA L. MCCRAY—Multiplication of *Orgaephilus* spp. and *Tribolium* spp. on 20 Natural Product Diets 176
LECATO, G. LEONARD, J. W. PRESS, and L. L. MCDONALD—Mortality of Red Flour Beetle Adults Fed Insecticide-Treated Indian Meal Moths 726
LEGNER, E. F., W. R. BOWEN, W. D. MCKEEN, W. F. ROONEY, and R. F. HOBZA—Inverse Relationships Between Mass of Breeding Habitat and Synanthropic Fly Emergence and the Measurement of Population Densities with Sticky Tapes in California Inland Valleys 199
LEHMAN, R. D., see A. G. WHEELER, JR. ... 718
LEIGH, T. F., see TOM R. ASHLEY 1069
LEUCK, D. B., see JAMES W. TODD 685
LEVIN, M. D., see R. W. THORP 525
LEWIS, W. J., see RICHARD L. JONES 593
LIBBEY, L. M., see J. A. RUDINSKY 505
LIGHTNER, D. V., R. R. PROCTOR, A. K. SPARKS, J. R. ADAMS, and A. M. HEIMPEL —Testing Penaeid Shrimp for Susceptibility to an Insect Nuclear Polyhedrosis Virus .. 611
LINCOLN, A. C., see J. W. PEACOCK 355
LINDSEY, M. L., see T. F. WATSON 967
LISTER, C. K., see P. E. BUFFAM 259
LLOYD, JAMES E.—Fireflies of Melanesia: Bioluminescence, Mating Behavior, and Synchronous Flashing (Coleoptera: Lampyridae) 991
LOAN, C. C., and TERESA BILEWICZ-PAWIŃSKA —Systematics and Biology of Four Polish Species of *Peristenus* Foerster (Hymenoptera: Braconidae, Euphorinae) 271
LOFGREN, C. S., see W. A. BANKS 182
LOOD, R. C., see W. E. BOUSFIELD 212
LOPER, G. M., see GORDON D. WALLER 255

M

MABIE, J. A., see J. E. BAKER 627
MACDONALD, J. F., R. D. AKRE, and W. B. HILL—Attraction of Yellowjackets (*Vespula* spp.) to Heptyl Butyrate in Washington State (Hymenoptera: Vespidae) 375

MADDOX, D. M. — *Amynothrips andersoni* (Thysanoptera: Phlaeothripidae), a Thrips for the Biological Control of Alligatorweed. 1. Host Specificity Studies 30

MADSEN, HAROLD F., and JERRY M. VAKENTI —Codling Moth: Use of Codlemone®-Baited Traps and Visual Detection of Entries to Determine Need of Sprays 677

MARSTON, J. M., see N. E. GARY 573

MARSTON, NORMAN, see PAUL E. BOLDT 1121

MASON, C. E., and H. D. BLOCKER—A Stabilized Drop Trap for Unit-Area Sampling of Insects in Short Vegetation 214

MATSUKA, MITSUO, see ICHIJI OKADA 301

MATTHEWS, ROBERT W., and CYNTHIA J. KISLOW—Cocoon Orientation in a Megachilid Bee: Larval Response to Pollen Placement 157

MCCRAY, THELMA L., see G. LEONARD LECATO 176

MCDONALD, L. L., see G. LEONARD LECATO 726

MCGOVERN, T. P., see H. G. DAVIS 569

MCGOVERN, W. L., see W. L. JOHNSON 112

MCGROARTY, D. L., see B. A. CROFT 633

MCKEEN, W. D., see E. F. LEGNER 199

MCLANE, W. H., see R. C. REARDON 124

MCLAUGHLIN, J. R., R. S. KAAE, H. H. SHOREY, and LYLE K. GASTON—Sex Pheromones of Lepidoptera. XXXIX. Comparison of Virgin Female Moths and Hexalure as Attractants for Male *Pectinophora gossypiella* 488

MEIFERT, D. W., see DONALD L. BAILEY ... 1125

MENZER, ROBERT E., see WILLA G. DUFF ... 309

METZ, LOUIS J., and M. H. FARRIER—Prescribed Burning and Populations of Soil Mesofauna 433

MEYER, R. H., see B. A. CROFT 691

MICHAEL, R. R., see J. A. RUDINSKY 505

MIDDLETON, S. G., see F. E. GILES 299

MILLER, B. F., see J. S. TEOTIA 329

MINNICK, D. R.—The Flight and Courtship Behavior of the Drywood Termite, *Cryptotermes brevis* 587

MINNICK, D. R., S. H. KERR, and R. C. WILKINSON—Humidity Behavior of the Drywood Termite, *Cryptotermes brevis* ... 597

MINNICK, D. R., R. C. WILKINSON, and S. H. KERR—Feeding Preferences of the Drywood Termite, *Cryptotermes brevis* 481

MISKIMEN, GEORGE W.—High-Temperature Effects on Sugarcane Borers. 1. Survivorship and Emergence Time 981

MISKIMEN, GEORGE W.—High-Temperature Effects on Sugarcane Borers. 2. Mating Success, Fecundity, and Fertility 986

MITCHELL, E. R.—Nocturnal Activity of Adults of Three Species of Loopers, Based on Collections in Pheromone Traps 1078

MITCHELL, H. C., see W. L. JOHNSON 112

MOELLER, F. E., see R. W. THORP 525

MOFFETT, JOSEPH O., and HOWARD L. MORTON—Surfactants in Water Drown Honey Bees 227

MOFFITT, H. R., see B. A. BUTT 208

MOORE, GORDON E.—Pathogenicity of Three Entomogenous Fungi to the Southern Pine Beetle at Various Temperatures and Humidities 54

MORENO, D. S., see J. G. SHAW 1062

MORGAN, M., see J. A. RUDINSKY 505

MORGAN, P. B., see D. E. WAGONER 128

MORRILL, WENDELL L., and G. L. GREENE—Distribution of Fall Armyworm Larvae. 1. Regions of Field Corn Plants Infested by Larvae 195

MORRILL, WENDELL L., and G. L. GREENE—Distribution of Fall Armyworm Larvae. 2. Influence of Biology and Behavior of Larvae on Selection of Feeding Sites 415

MORRIS, C. L., see G. F. FEDDE 1123

MORRISON, R. D., see T. L. ARCHER 1104

MORRISON, R. D., see R. H. CATE 549

MORRISON, ROBERT D., see JOSEPH G. BURLEIGH 281

MORTON, HOWARD L., see JOSEPH O. MOFFETT 227

MUELLER, A. J., and V. M. STERN—*Lygus* Flight and Dispersal Behavior 361

MULLA, M. S., see H. R. WILSON 724

MULLA, MIR S., and HAROLD AXELROD—Organic Wastes and Soil Additives as Producers of *Hippelates* Eye Gnats (Diptera-Chloropidae) 409

MULLA, MIR S., R. LEE NORLAND, W. ELLIS WESTLAKE, BERT DELL, and JAMES ST. AMANT—Aquatic Midge Larvicides, Their Efficacy and Residues in Water, Soil and and Fish in a Warm-Water Lake 58

MUMMA, R. O., see L. B. HENDRY 1024

MURRAY, C. L., see T. L. ARCHER 1104

N

NAKATA, JOHN, see RICHARD L. DOUTT 381

NAULT, L. R., L. J. EDWARDS, and W. E. STYER—Aphid Alarm Pheromones: Secretion and Reception 101

NELSON, E. E., B. A. CROFT, A. J. HOWITT, and A. L. JONES—Toxicity of Apple Orchard Pesticides to *Agistemus fleschneri* .. 219

NICKERSON, J. C., see W. H. WHITCOMB 1101
NORLAND, R. LEE, see MIR S. MULLA 58
NUTTING, WILLIAM L., see MARGARET S. COLLINS 1122

O

OATMAN, E. R., and G. R. PLATNER—Parasitization of Natural Enemies Attacking the Cabbage Aphid on Cabbage in Southern California 365
OKADA, ICHIJI, and MITSUO MATSUKA—Artificial Rearing of *Harmonia axyridis* on Pulverized Drone Honey Bee Brood 301
OLSON, W. H., see WILLIAM C. BATISTE 387
OLSON, WILLIAM H., see WILLIAM C. BATISTE 673
O'NEAL, J., see E. W. CUPP 191
OSBORN, A. W., and G. N. R. FORTEATH—Vertical Flight Distribution of Adult *Inopus rubriceps*, a Pest of Sugarcane in Australia 419
OSWALT, THOMAS G., see FRANK M. DAVIS .. 86

P

PALMER, D. L., see H. M. FLINT 97
PAN, Y. S., and S. D. HENSLEY—Evaluation of Sugarcane Seedlings for Resistance in the Sugarcane Borer, *Diatraea saccharalis* 149
PARENT, BENOIT J. P. H.—Natural Population Densities of the European Red Mite on Apple in Quebec 1064
PARKER, F. D., see C. M. IGNOFFO 302
PARKER, FRANK D., and ROBERT E. PINNELL—Effect on Food Consumption of the Imported Cabbageworm When Parasitized by Two Species of *Apanteles* 216
PAYNE, THOMAS L., see F. B. CAMORS, JR. .. 267
PEACE, M. B., see W. W. CANTELO 1033
PEACOCK, J. W., R. M. SILVERSTEIN, A. C. LINCOLN, and J. B. SIMEONE—Laboratory Investigations of the Frass of *Scolytus multistriatus* (Coleoptera: Scolytidae) as a Source of Pheromone 355
PHILIPS, F. M., see MORTON BEROZA 1051
PHILLIPS, J. H. H.—Monitoring for Oriental Fruit Moth with Synthetic Sex Pheromone 1039
PIENAAR, LEON V., see ALAN A. BERRYMAN.. 447
PIENKOWSKI, R. L., see W. A. ALLEN 615
PIMENTEL, DAVID, and A. G. WHEELER, JR.—Influence of Alfalfa Resistance on a Pea Aphid Population and Its Associated Parasites, Predators, and Competitors 1
PIMENTEL, DAVID, and A. G. WHEELER, JR.—Species and Diversity of Arthropods in the Alfalfa Community 659
PINNELL, R. E., see D. L. HOSTETTER 1109
PINNELL, R. E., see C. M. IGNOFFO 302
PINNELL, ROBERT E., see FRANK D. PARKER 216
PITMAN, G. B.—Further Observations on Douglure in a *Dendroctonus pseudotsugae* Management System 109
PLAPP, FREDERICK W., JR.—Mirex: Toxicity, Tolerance, and Metabolism in the House Fly (*Musca domestica* L.) 1058
PLATNER, G. R., see E. R. OATMAN 365
PLATNER, G. R., G. T. SCRIVEN, and C. E. BRANIGER—Modification of a Compact Refrigerator for Bio-Ecological Studies Under Controlled Physical Parameters 1118
POMEROY, B. S., see E. DE LAS CASAS 1043
POOLER, J. L., see J. W. ATMAR 713
PREE, D. J., and J. L. SAUNDERS—Bioactivity and Translocation of Carbofuran Residues in Mugho Pine 262
PRESS, J. W., see G. LEONARD LECATO 726
PRESS, J. W., and B. R. FLAHERTY—Reduction of Fecundity and Egg Hatch in Three Stored-Product Phycitid Moths After Repetitive Sublethal Carbon Dioxide Exposures 147
PRESS, J .W., B. R. FLAHERTY, R. DAVIS, and R. T. ARBOGAST—Development of *Xylocoris flavipes* (Hemiptera: Anthocoridae) on Eggs of *Plodia interpunctella* (Lepidoptera: Phycitidae) Killed by Gamma Radiation or by Freezing 335
PRICE, PETER W.—Parasitoid Strategies and Community Organization 623
PROCTOR, R. R., see D. V. LIGHTNER 611

Q

QUEZADA, JOSÉ R.—Insecticide Applications Disruption Pupal Parasitism of *Rothschildia aroma* Populations in El Savador 639

R

RADCLIFFE, EDWARD B., see JACOB WIEB 537
RAULSTON, J. R., see D. E. HENDRICKS 1085
REARDON, R. C., M. W. STATLER, and W. H. MCLANE—Rearing Techniques and Biology of Five Gypsy Moth Parasites 124
REID, J. C., see G. L. GREENE 1113
RENAUD, GEORGETTE D., see CLARA H. FOSTER 1048
RENNELS, R. G.—The Ranges of Six Species of Pine Sawflies in Illinois 1117
RHOADS, L. D., see E. ALAN CAMERON 485
RICHARD, R. D., see LEO E. LACHANCE 653

RICHERSON, J. V., and C. J. DELOACH—Seasonal Abundance of *Perilitus coccinellae* and Its Coccinellid Hosts and Degree of Parasitism in Central Missouri 138
RICHMAN, SUSAN M., see A. G. GENTILE 473
RIDDLE, T. C., see G. L. GREENE 1113
RIDGWAY, R. L., see A. W. HARTSTACK, JR. .. 244
RIVET, E., see J. J. DREA, JR. 278
ROELOFS, W. L., R. T. CARDÉ, and J. P. TETTE —Oriental Fruit Moth Attractant Synergists 252
ROGERS, C. E., and F. W. KNAPP—Bionomics of the Sheep Bot Fly, *Oestrus ovis* 11
ROGOFF, W. M., see R. H. GROTHAUS 717
ROGOFF, W. M., see H. G. DAVIS 569
ROMAN, L., see L. B. HENDRY 1024
ROONEY, W. F., see E. F. LEGNER 199
ROSANDER, R. W., see L. A. BARIOLA 173
ROTARY, NOAH, and DAN GERLING—The Influence of Some External Factors upon the Sex Ratio of *Bracon hebetor* Say (Hymenoptera: Braconidae) 134
RUDINSKY, J. A.—Multiple Functions of the Douglas Fir Beetle Pheromone 3-Methyl-2-Cyclohexen-1-One 579
RUDINSKY, J. A.—Multiple Functions of the Southern Pine Beetle Pheromone Verbenone 511
RUDINSKY, J. A., M. MORGAN, L. M. LIBBEY, and R. R. MICHAEL—Sound Production in Scolytidae: 3-Methyl-2-Cyclohexen-1-One Released by the Female Douglas Fir Beetle in Response to Male Sonic Signal 505
RUESINK, WILLIAM G., and DEAN L. HAYNES —Sweepnet Sampling for the Cereal Leaf Beetle, *Oulema melanopus* 161

S

SAUNDERS, J. L., see D. J. PREE 262
SCALES, ARDEN L.—Parasites of the Tarnished Plant Bug in the Mississippi Delta 302
SCHMIDT, C. D., see J. L. ESCHLE 976
SCHMIDT, C. D., C. R. WARD, and J. L. ESCHLE —Rearing and Biology of the Horn Fly in the Laboratory: Effects of Density on Survival and Fecundity of Adults 223
SCHOENLEBER, L. G., see B. A. BUTT 208
SCRIVEN, G. T., see G. R. PLATNER 1118
SELLERS, L. G., F. E. GUTHRIE, and L. B. COONS—Whole-Body Autoradiographic Studies on the Penetration of ^{14}C-Dieldrin in Susceptible and Resistant House Flies 296
SHARMA, GOVIND C., and CHARLES V. HALL— Relative Attractance of Spotted Cucumber Beetle to Fruits of Fifteen Species of Cucurbitaceae 154
SHAW, J. G., R. P. SUNDERMAN, D. S. MORENO, and J. FARGERLUND—California Red Scale: Females Isolated by Treatment with Dichlorvos 1062
SHOREY, H. H., see R. S. KAAE 1081
SHOREY, H. H., see J. R. MCLAUGHLIN 488
SILVERSTEIN, R. M., see J. W. PEACOCK 355
SIMEONE, J. B., see J. W. PEACOCK 355
SIMPSON, KARL W., and W. A. CONNELL— Mites on Soybeans: Moisture and Temperature Relations 319
SINHA, R. N., see J. E. M. H. VAN BRONSWIJK 142
SLOSSER, J. E., see T. F. WATSON 967
SMITH, D. H., JR., see J. A. WEBSTER 1089
SMITH, J. S., JR., see W. W. CANTELO 48, 1033
SMITH, L. J., see A. M. HEIMPEL 72
SMITH, R. G., see T. D. FITZGERALD 607
SPARKS, A. N., see RICHARD L. JONES 593
SPARKS, A. K., see D. V. LIGHTNER 611
SPENCER, NEAL R., see JOHN L. BROWN 519
ST. AMANT, JAMES, see MIR S. MULLA 58
ST. CLAIR, A. D., see T. D. FITZGERALD 607
STANGER, W., see R. W. THORP 525
STANLEY, J. M., see W. W. CANTELO 1033
STARKS, K. J., see T. L. ARCHER 1104
STARKS, K. J., see R. H. CATE 549
STARKS, K. J., E. A. WOOD, JR., and G. L. TEETES—Effects of Temperature on the Preference of Two Greenbug Biotypes for Sorghum Selections 351
STATEN, R. T., see L. A. BARIOLA 173
STATEN, R. T., see H. M. FLINT 97
STATLER, M. W., see R. C. REARDON 124
STERN, V. M., see A. J. MUELLER 361
STEVENS, L. J., see MORTON BEROZA 1051
STEVENS, R. E., see P. E. BUFFAM 259
STEWART, P. G., see B. A. CROFT 486
STIMMANN, M. W., and W. W. WOLF—Cabbage Looper: Effect of Pre-Release Acclimation on Response of Males to Pheromone in the Field 701
STRONG, R. G.—Protection of Wheat Seed with Hardwood Tar Oil in a Dust Formulation 1126
STYER, W. E., see L. R. NAULT 101
SUMMERLIN, J. W., see W. A. BANKS 182
SUNDERMAN, R. P., see J. G. SHAW 1062

T

TAMAKI, GEORGE—Spring Populations of the Green Peach Aphid on Peach Trees and the Role of Natural Enemies in Their Control 186

TAMAKI, GEORGE, and R. E. WEEKS—The Impact of Predators on Populations of Green Peach Aphids on Field-Grown Sugarbeets 345
TAMASHIRO, MINORU, JACK K. FUJII, and PO-YUNG LAI—A Simple Method to Observe, Trap, and Prepare Large Numbers of Subterranean Termites for Laboratory and Field Experiments 721
TARDIF, J. G. R., see MORTON BEROZA 1051
TEETES, G. L., see K. J. STARKS 351
TEOTIA, J. S., and B. F. MILLER—Environmental Conditions Affecting Development of House Fly Larvae in Poultry Manure 329
TETTE, J. P., see W. L. ROELOFS 252
THOMAS, E. D., see A. M. HEIMPEL 72
THORP, R. W., E. H. ERICKSON, F. E. MOELLER, M. D. LEVIN, W. STANGER, and D. L. BRIGGS—Flight Activity and Uniformity Comparisons Between Honey Bees in Disposable Pollination Units (DPU's) and Overwintered Colonies 525
TOBA, H. H., and A. N. KISHABA—Cabbage Loopers: Pupae Sterilized with Fractionated Doses of Gamma Irradiation 118
TODD, JAMES W., and HERBERT WOMACK—Secondary Infestations of Cigarette Beetle in Soybean Seed Damaged by Southern Green Stink Bug 720
TODD, JAMES W., MILTON D. JELLUM, and D. B. LEUCK—Effects of Southern Green Stink Bug Damage on Fatty Acid Composition of Soybean Oil 685
TURLEY, D. L., see L. A. BARIOLA 205
TUSKES, PAUL M., and MICHAEL D. ATKINS—Effect of Temperature on Occurrence of Color Phases in the Alfalfa Caterpillar (Lepidoptera: Pieridae) 619

V

VAIL, P. V., S. J. ANDERSON, and D. L. JAY—New Procedures for Rearing Cabbage Loopers and Other Lepidopterous Larvae for Propagation of Nuclear Polyhedrosis Viruses 339
VAKENTI, JERRY M., see HAROLD F. MADSEN 677
VAN BRONSWIJK, J. E. M. H., and R. N. SINHA—Role of Fungi in the Survival of *Dermatophagoides* (Acarina: Pyroglyphidae) in House-Dust Environment 142
VAN DEN BOSCH, R., see L. E. EHLER 1009
VAN DEN BOSCH, R., see K. G. EVELEENS 497
VAN DEN BOSCH, R., see B. D. FRAZER 561
VAUGHAN, A. W., see A. G. GENTILE 473
VICK, K. W.—Effects of Interspecific Matings of *Trogoderma glabrum* and *T. inclusum* on Oviposition and Remating 237
VLUG, HENDRIK, and JOHN H. BORDEN—Soil Acari and Collembola Populations Affected by Logging and Slash Burning in a Coastal British Columbia Coniferous Forest 1016

W

WAGONER, D. E., P. B. MORGAN, G. C. LABRECQUE, and O. A. JOHNSON—Genetic Manipulation Used Against a Field Population of House Flies. 1. Males Bearing a Heterozygous Translocation 128
WAGONER, DALE E., see ODELL A. JOHNSON 77
WAKID, ABDEL-FATTAH M.—Effect of Nitrogen During Gamma Irradiation of Puparia and Adults of the Mediterranean Fruit Fly on Emergence, Sterility, Longevity, and Competitiveness 37
WALDBAUER, G. P., and M. KOGAN—Sampling for Bean Leaf Beetle Eggs: Extraction from the Soil and Location in Relation to Soybean Plants 441
WALL, WILLIAM J., JR.,—The Intertidal Sand and Salt Marsh Invertebrate Fauna Associated with the Bloodsucking Diptera of Cape Cod, Massachusetts 681
WALLER, GORDON D., G. M. LOPER, and RICHARD L. BERDEL—A Bioassay for Determining Honey Bee Responses to Flower Volatiles 255
WARD, C. R., see C. D. SCHMIDT 223
WATSON, T. F., M. L. LINDSEY, and J. E. SLOSSER—Effect of Temperature, Moisture, and Photoperiod on Termination of Diapause in the Pink Bollworm 967
WEBB, F. C., see J. W. ATMAR 713
WEBSTER, J. A., S. H. GAGE, and D. H. SMITH, JR.—Suppression of the Cereal Leaf Beetle with Resistant Wheat 1089
WEAVER, JOSEPH E., see TIM P. YOHO 1092
WEEKS, R. E., see GEORGE TAMAKI 345
WESTLAKE, W. ELLIS, see MIR S. MULLA 58
WHEELER, A. G., Jr., see DAVID PIMENTEL ..1, 659
WHEELER, A. G., JR., R. B. COLBURN, and R. D. LEHMAN—*Stethorus punctillum* Associated with Spruce Spider Mite on Ornamentals 718
WHITCOMB, W. H., see PAULINE O. LAWRENCE 477
WHITCOMB, W. H., A. BHATKAR, and J. C. NICKERSON—Predators of *Solenopsis invicta* Queens Prior to Successful Colony Establishment 1101
WHITE, L. D., see B. A. BUTT 208

WHITE, L. D., R. B. HUTT, and B. A. BUTT—Field Dispersal of Laboratory-Reared Fertile Female Codling Moths and Population Suppression by Release of Sterile Males 66
WHITEFOOT, L. O., see E. H. ERICKSON 531
WIEB, JACOB, and EDWARD B. RADCLIFFE—Tolerance to Parathion of Phytophagous Insects Influenced by Host Plant 537
WILKINSON, R. C., see D. R. MINNICK 481, 597
WILSON, H. R., and M. S. MULLA—Bait Units for Collection of House Flies 724
WILSON, LOUIS F.—Pruning and Litter Removal or Soil Scraping Controls the Pine Root Collar Weevil in Young Red Pine Plantations 325
WITHERELL, P. C., see N. E. GARY 573
WOJCIK, D. P., see W. A. BANKS 182
WOLF, W. W., see M. W. STIMMANN 701
WOMACK, HERBERT, see JAMES W. TODD 720
WOOD, E. A., JR., see K. J. STARKS 351
WOODARD, G., see C. M. IGNOFFO 337
WRIGHT, JAMES E., JOHN B. CAMPBELL, and PHIL HESTER—Hormones for Control of Livestock Arthropods: Evaluation of Two Juvenile Hormone Analogues Applied to Breeding Materials in Small Plot Tests in Nebraska and Florida for Control of the Stable Fly 69

Y

YOHO, TIM P., JOSEPH E. WEAVER, and LINDA BUTLER—Photodynamic Action in Insects. 1. Levels of Mortality in Dye-Fed Light-Exposed House Flies 1092
YOUNG, J. R., see C. R. GENTRY 159
YOUNG, JERRY H., see JOSEPH G. BURLEIGH .. 281

Z

ZWICK, R. W., see H. G. DAVIS 569

SUBJECT INDEX, VOLUME 2, 1973

Compiled by Gladys O. Visel

Abate against *Anopheles albimanus*, 370
Chironomus and Dicrodenipes spp., 58
Abundance of *Perilitus coccinellae*, 138
Acarina, 142, 219, 691, 1064
Acephate inhibiting corn pollen germination, 473
Achrysocharella silvia, 213
Acrididae in alfalfa community, 661
Acrosternum hilare, 570, 685
marginatum, 1035
Aculus schlechtendali, 219, 633
Acyrthosiphon pisum, 1, 101, 515
control with *Aphidius*, 469
Acyrthosiphon solani, 101
Adalia bipunctata, 139, 562
Adoxophyes orana, sex pheromones, 751
Aedes atropalpus, oviposition attractant, 729
Aeolothripidae in alfalfa community, 661
Aeshnidae in alfalfa community, 661
Agathis pumila, 212
Agelenidae in alfalfa community, 665
Agistemus fleschneri, 1065
toxicity of pesticides to, 219
Agrion maculatum, 299
Agromyzidae in alfalfa community, 664
Agrotis ipsilon, parasitized by *Hexamermis arvalis*, 963
Agulla sp., 562
Ahasverus advena, 428
Aleyrodidae in alfalfa community, 662
Alfalfa, arthropods in, 659
distribution of bees used to pollinate, 573
leaf area increase for insect control, 958
pest management on, 515
resistance on pea aphid, 1
Alfalfa caterpillar, temperature effect on color, 619
Alfalfa leafcutting bee, carbonphenothion and trichlorfon toxicity to, 27
diapause, 23
Alligatorweed, control, 519
Allograpta exotica, 365
obliqua, 365
Allonemobius allardi, 738
Allothrombium lerouxi, 1065
Alloxysta brassicae, 366
Alophorella nr. *aeneoventris*, 304
sp., 304
Alphitobius diaperinus, 1043
Alsophila pometaria, 1123
Alydidae in alfalfa community, 661
Amblyseius fallacis, 633
carbamate and organophosphorus resistance in, 691
insecticide toxicity to, 486
Amino acids in pollen, 881
Amynothrips andersoni, host specificity, 30
Anagasta kuehniella, 135, 148, 1029
Anagrapha falcifera, 307
Anagrus epos, 382
Anaphes ovijentatus, 304
Anax junius, 1102
Andrenidae in alfalfa community, 665
Anisota senatoria, 807
Annual meeting notice, 712, 949
Anopheles albimanus, resistance to sprays, 369
Ant predators of *Reticulitermes flavipes*, 397
Anthocoridae in alfalfa community, 661
Anthocoris melanocerus, 562
musculus, 1068
Anthomyiidae in alfalfa community, 664
Anthonomus grandis, 112, 130, 304, 829, 837, 865, 905
Anthribidae in alfalfa community, 663
Antiaggregative pheromone of Douglas fir beetle, 505
Anticarsia gemmatalis, 1113
Anystidae in alfalfa community, 665
Aonidiella aurantii, 1062
Apanteles glomeratus, 217
melanoscelus, 124, 798
porthetriae, 124, 798
rubecula, 216
spp., 127, 798
spp., parasite of imported cabbageworm, 216
Aphaenogaster floridana, 1103
spp., 398
tennesseensis, 397
Aphelinus asychis, greenbug parasitization by, 549
predicting parasitism by, 859
storage, 489
Aphid, alarm pheromones, secretion and reception, 101
mortality and greenbug parasitization, 549
Aphididae in alfalfa community, 662
Aphidius ervi, 515
smithi, 515
smithi against *Acyrthosiphon pisum*, 469
Aphis coreopidis, 101
pomi, 1064
Apidae in alfalfa community, 665
Apis mellifera, 27, 180, 227, 255, 301, 525, 531, 570, 573, 881, 937
Apple, apple maggot fly attraction to odor, 743
European red mite on, 1064
Apple maggot, attraction to apple odor, 743
capture with enamel and fluorescent spheres, 953
recapture of released, 757
Apple orchard, pesticides, toxicity, 219
spider mite control in, 633
Aquatic midge larvicide residues in environment, 58
Aramite against spider mite, 634
Araneidae in alfalfa community, 665
Araniella displicata, 1067
pomi, 1067
Archips argyrospilus, 1064
semiferanus, sex pheromone in, 1024
Archytas californiae, 500
Arctiidae in alfalfa community, 663
Argia sp., 180
Argyrotaenia velutinana, 607
Arphia pseudonietana, 738
sulphurea, 738
Arrival of entomophagous insects, 267
Arthropods, control of livestock, by hormones, 69
species diversity, 1097
species in alfalfa community, 659

Asilidae in alfalfa community, 664
Atta texana, responses to halo- and cyanopyrroles to, 851
Attagenus megatoma, 428
Attractance of spotted cucumber beetle, 154
Attractants for synanthropic flies, 815
Attraction of apple maggot to apple odor, 743
Autocide, population, of flour beetle, 75
Autographa californica, 307, 339, 611
Avian viruses and lesser mealworm, relationship, 1043
Azinphosmethyl against: *Agistemus*, 220
Amblyseius fallacis, 487, 692
Chrysopa rufilabris, 478
codling moth, 388
Jalysus spinosus, 243
oriental fruit moth, 1039
spider mite, 634
Typhlodromus occidentalis, 487

Baccha clavata, 102
Bacillus popilliae, humans exposed to, 793
Bacillus thuringiensis var. *alesti*, susceptibility of oak insects to, 807
Bait for: house flies, 724
Vespula spp., 717
Balaustium murorum?, 1065
putmani?, 1065
Balsam fir and spruce budworm defoliation, 727
Baygon against house flies, 1058
Bean leaf beetle, sampling for eggs, 441
Beef cattle, feeding of stable flies on, 1125
Bees, cocoon orientation in megachilid, 157
distribution of foraging, 573
Beet armyworm outbreak induction in cotton, 497
Behavior, dispersal, and *Lygus* flight, 361
fall armyworm, 415
feeding, of *Plodia interpunctella*, 627
flight and courtship of drywood termite, 587
foraging, of subterranean termites, 954
humidity, of drywood termite, 597
searching, of gypsy moth, terminating, 603
Behavior, mating: and oviposition of velvetbean caterpillar, 1113
of fireflies, 991
of southwestern corn borer, 225
Belvosia nigrifrons, 639
Benomyl against: *Agistemus*, 220
Panonychus ulmi, 222
Benomyl + azinphosmethyl against *Agistemus* and *Panonychus*, 222
Benomyl + diazinon against *Agistemus* and *Panonychus*, 222
Benomyl + Imidan against *Agistemus* and *Panonychus*, 222
Benomyl + phosvel against *Agistemus* and *Panonychus*, 221
Berytidae in alfalfa community, 661
Bethylidae in alfalfa community, 665
Biofilm inhibiting corn pollen germination, 473
Biological, activity of cabbage looper, 607
Biological control of: alligatorweed, 30
spider mite, 633
walnut aphid, 561
Biological weed control value of *Chelinidea vittiger*, 231
Biology of: *Chelinidea vittiger*, 231
fall armyworm, 415
gypsy moth parasites, 124
Heterolaccus grandis, 112
horn fly, 223
Jalysus spinosus, 421
Peristenus stygicus, 278
Polish mirid parasites, 271
Bioluminescence of fireflies, 991
Bionomics of sheep bot fly, 11
Biothion against alfalfa pests, 516
Biotic control of sod webworm, 94
BL-baited traps, 1074
-chemosterilant feeder in reducing *Heliothis* egg hatch, 159
Black pineleaf scale, ecology, 765
Black vine weevil, temperature and RH effects on, 855
Blepharipa scutellata, 797
Boll weevil, controlling Grandlure release, 829, 837
Heterolaccus grandis parasite of, 112
release of grandlure of boll weevil, 905
Bollworm, comparison with tobacco budworm numbers, 911
population dynamics study of, 244
Bombus sp., 180
Bombyliidae in alfalfa community, 664
Bonnetia comta, 963
Bothynus cuniculus, 1035
Boxcars, stored-product insects in, 427
Brachyacantha ursina, 139
Brachymeria intermedia, 798
oviposition, 485
Bracon hebetor, sex ratio influénce on, 134
vulnerability to degradation products, 1029
Bracon mellitor, 117
pygmaeus, 213
Braconidae in alfalfa community, 664
Breeding habitat and synanthropic fly emergence, 199
Brevicoryne brassicae, 365
Brochymena quadripustulata, 1068
Bryobia praetiosa, 719
Bubekia fallax, 616
Buprestidae in alfalfa community, 662
Burley tobacco, endosulfan in, 845
Burning and soil mesofauna, 433

Cabbage, enemies of cabbage aphid on, 365
nuclear polyhedrosis virus on, 72
Pieris rapae on, 1109
sequential sampling for cabbage looper on, 901
Cabbage aphid, parasitization of enemies, 365
Cabbage looper, acclimation, 701
enemies on cotton, 1009
rearing for virus propagation, 339
relationship to *Hyposoter exiguae*, 759
sequential sampling for, 901
slow-release pheromone formulation, 607
sterilized with gamma irradiation, 118
sterilizing pupae, 118
weather vs. trap catches, 1074
Cacodylic acid as traps for spruce beetles, 259
Cadra cautella, 148, 401, 427
California red scale, isolated by Dichlorvos treatment, 1062
Calliphoridae in alfalfa community, 664
Callitula bicolor, 616
Calosoma a. alternans, 1035
sp., 798
sycophanta, 798
Camnula pellucida, 738
Campanotus spp., 398
Campilomma verbacci, 1068
Campoletis argentifrons (?), 963
Camponotus abdominalis floridanus, 1103
Cantharidae in alfalfa community, 662

Captan against: *Agistemus*, 220
Panonychus ulmi, 222
red mite, 1067
Captan + azinphosmethyl against *Agistemus* and *Panonychus*, 222
Captan + diazinon against *Agistemus* and *Panonychus*, 221
Captan + Imidan against *Agistemus* and *Panonychus*, 222
Carabidae in alfalfa community, 662
Carbaryl, inhibiting corn pollen germination, 473
Carbaryl against: *Agistemus*, 220
Amblyseius fallacis, 487, 692
Anopheles albimanus, 370
Chironomus spp. and *Dicrotendipes* spp., 59
Chrysopa rufilabris, 478
Jalysus spinosus, 243
red mite, 1067
Typhlodromus occidentalis, 487
Carbofuran, inhibiting corn pollen germination, 473
persistence and degradation in soil, 461
translocation, residues in mugho pine, 262
Carbofuran against: alfalfa pests, 516
Amblyseius fallacis, 692
Jalysus spinosus, 242
Carbon dioxide and fecundity and egg hatch of phycitid moths, 147
Carbophenothion, toxicity to bees, 27
Carbophenothion against: alfalfa pests, 515
Chrysopa rufilabris, 478
Carcinops pumilio, 200
Carpocapsa pomonella, 1064
Carpophilus hemipterus, 428
pilosellus, 403, 428
spp., 429
Carzol against spider mite, 634
Cathartus quadricollis, 428
Catolaccus aeneoviridis, 213
Cecidomyiidae associated with Diptera, 683
Cecidostiba dendroctoni, 268
Centhophilus brevipes, 738
Cerambycidae in alfalfa community, 663
Ceramica picta, 307
Ceraphronidae in alfalfa community, 664
Ceratitis capitata, 37, 119
Ceratopogonidae associated with Diptera, 682
Cercopidae, associated with Diptera, 683
in alfalfa community, 660
Cercyonis sp., 180
Cereal leaf beetle, competition of, 791
suppression with resistant wheat, 1089
sweepnet sampling for, 161
Cerotoma trifurcata, 441
Chaetopsis sp., 1117
Chalcididae in alfalfa community, 664
Changes in species during BL-trapping program, 1033
Chelinidea vittiger, biology, 231
v. aequalis, 233
v. v., 233
v. v. var. *artuflava*, 233
Chelonus texanus, 500, 1010
Chemosterilization of screwworm flies, 145
Chilocorus, 775
Chironomidae associated with Diptera, 683
Chironomus spp., 58
Chlordane against red flour beetle, 727
Chlordimeform, against *Agistemus*, 220
metabolism in cotton, 869
Chlorobenside against spider mite, 634
Chlorobenzilate against: *Chrysopa rufilabris*, 478
spider mite, 634
Chloropidae associated with Diptera, 683
Chloropropylate against spider mite, 634
Chlorpyrifos against: *Anopheles albimanus*, 370
Chironomus and *Dicrotendipes* spp., 58
Cholinesterase activity and personnel in cotton-scouting program, 961
Choristoneura fumiferana, 727
Chorthippus curtipennis, 738
Chortophaga viridifasciata, 738
Chromaphis juglandicola, 561
Chrysomela scripta, 1117
Chrysomelidae in alfalfa community, 663
Chrysopa carnea, 345, 500, 562, 1009
nigricornis, 562
rufilabris, pesticide effects on, 477
spp., 516
Chrysopidae in alfalfa community, 662
Chrysops, environmental effects on oviposition, 1048
atlanticus, 684
callidus, 1049, 1116
cincticornis, 1049
flavidus, 961
fuliginosus, 684
spp., 910, 1048, 1116
Chrysoteuchia topiaria, 94
Cicadellidae, associated with Diptera, 683
in alfalfa community, 662
Cicindella punctulata, 1103
Cigarette beetle infestations in soybean seed, 720
Cleridae in alfalfa community, 662
Clubiona johnsoni, 1067
moesta, 1067
Clubionidae in alfalfa community, 665
Coccinella californica, 562
novemnotata, 139
transversoguttata, 345, 1067
t. richardsoni, 189
trifasciata, 562
t. perplexa, 1067
Coccinellidae, 240
associated with Diptera, 683
in alfalfa community, 662
Cochliomyia hominivorax, 119, 145
Cocoon orientation in megachilid bee, 157
Codlemone against codling moth, 387
Codling moth, competition by, 783
dispersal, 66
integrated control of, 208
sex attraction, 673
sprays, 677
timing control, 387
trap comparisons and sterile releases, 873
Coeloides pissodis, 268
Coenagrionidae in alfalfa community, 661
Cold storage of *Lysiphlebus testaceipes*, 1104
Coleomegilla maculata, 139, 1116
Coleophora laricella, 180, 212
Coleophoridae in alfalfa community, 663
Coleoptera, 54, 75, 105, 109, 154, 161, 176, 259, 267, 285, 293, 301, 355, 447, 505, 511, 579, 669, 718, 720, 726, 791, 811, 829, 855, 905, 927, 991, 1033, 1043, 1089, 1098
Coleoptera + Hymenoptera, 1098
Coleotechnites sp., 947
*Colias eryth*eme, 619
Collembola, 648
populations and soil acari, 1016

Colletidae in alfalfa community, 665
Collops sp., 282
vittatus, 500, 1011
Color, temperature effect in alfalfa caterpillar, 619
Competition of: codling moth, 783
cereal leaf beetle, 791
gypsy moths, 603
Compsilura concinnata, 797
Conocephalus brevipennis, 738
Conoderus sp., 1035
Conomyrma flavopecta, 1103
insana, 1101
Conopidae in alfalfa community, 664
Control, biological, alfalfa leaf area increase for insect, 958
of spider mite, 633
Control, biotic, of sod webworm, 94
cultural, of pine root collar weevil, 325
environmental chamber system, 88
timing, of codling moth, 387
Control of: *Acyrthosiphon pisum* with *Aphidius*, 469
alligatorweed, 30, 519
Chelinidea vittiger, 231
codling moth, 208
green peach aphid enemies, 186
horn flies, 976
imported fire ant, 182
release of boll weevil pheromone, 829, 837
slow-release formulations of grandlure, 905
stable fly, 69
walnut aphid, 561
Copidosoma truncatellum, 1010
Coptotermes formosanus, 721
Cordyceps sp., 95
Corn, pest infestation origin in, 963
Corn earworm, sweet corn hybrid + insecticides to reduce losses, 919
Corn pollen, pesticide and adjuvant effect on, 473
Corn silks, *Heliothis* nucleopolyhedrosis virus stability on, 302
Cotton, beet armyworm outbreak induction in, 497
cabbage looper enemies on, 1009
chlordimeform metabolism in plants, 869
Cotton arthropods, dispersion, 863
Cotton insects and spiders, strip-cropping effect on, 281
Cotton-scouting program, cholinesterase effect on personnel engaged in, 961
Crambus topiarius, 94
Crowding effects of mountain pine beetle, 285
Cryptolestes spp., 403, 428
Cryptostigmata, 648
Cryptotermes brevis, 587, 597
feeding preference, 481
Ctenuchidae in alfalfa community, 663
Cucurbitaceae, spotted cucumber beetle attractance to, 154
Culex (Melanoconion) aikenii, profile, 81
Culicidae associated with Diptera, 683
Culicoides furens, 684
hollensis, 684
melleus, 683
Curculio carvae, 927
Curculionidae, associated with Diptera, 683
in alfalfa community, 663
Cycloate, combined with disulfoton, effects on sugarbeets, 915
Cycloneda munda, 139
Cydnidae in alfalfa community, 661
Cylistix cylindricus, 268
Cyneus angustus, 428
Cynipidae, associated with Diptera, 683
in alfalfa community, 664

Dactinidae in alfalfa community, 666
Dacus oleae, sexual competitiveness, 731
DDT against: house flies, 1058
spider mite, 634
DDT + toxaphene against alfalfa pests, 516
Degradation of poultry manure, 801
Delphacidae associated with Diptera, 683
Demeton against: *Agistemus*, 220
alfalfa pests, 515
spider mite, 634
Dendroctonus frontalis, 54, 267, 511
ponderosae, 541
Oponderosae, crowding effects, 285
pseudotsugae, 180, 505, 511, 579
pseudotsugae, management with douglure, 109
rufipennis, 259
valens, 180
Dendrosoter sulcatus, 268
Deraeocoris fasciolus, 1068
nebulosus, 1068
Dermatophagoides, role of survival in survival, 142
farinae, 142
pteronyssinus, 142
spp., 142
Deroceras laeve, predaceous habits, 306
Device to identify and count insects, 713
Diabrotica undecimpunctata howardi, 154
Diapause termination in pink bollworm, 967
Diapheromera femorata, 738, 807
Diaretiella rapae, 365
Diatraea grandiosella, 86, 225
saccharalis, 981, 986
saccharalis, host plant resistance to, 149
Diazinon, inhibiting corn pollen germination, 473
Diazinon against: *Agistemus*, 220
Amblyseius fallacis, 487
spider mite, 634
Typhlodromus occidentalis, 487
Diazinon + phosalone against *Agistemus* and *Panonychus*, 221
Dichlone against red mite, 1067
Dichlorvos, isolation of California red scale by, 1062
Dichlorvos against: *Anopheles albimanus*, 370
red flour beetle, 727
Dicladocerus sp. nr. *westwoodi*, 213
Dicofol against: beet armyworm, 498
red mite, 1067
spider mite, 634
Dicrotendipes spp., 58
Didthianon against *Agistemus*, 220
Dieldrin, penetration in house flies, 296
Dieldrin against: house flies, 1058
red flour beetle, 727
of sugarcane borer, 982
Diets, natural, *Oryzaephilus* and *Tribolium* multiplication on, 176
Dikar against *Agistemus*, 220
Dikar + azinphosmethyl against *Agistemus* and *Panonychus*, 221
Dikar + diazinon against *Agistemus* and *Panonychus*, 222
Dikar + Imidan against *Agistemus* and *Panonychus*, 222
Dikrella cruentata, 381
Dimethoate, in soils, 309

Dimethoate against: *Agistemus*, 220
alfalfa pests, 516
beet armyworm, 498
spider mite, 634
Dimethoate + toxaphene against alfalfa pests, 516
Dinocap against *Agistemus*, 220
Dipel against *Jalysus spinosus*, 241
Diplazon laetatorius, 365
Diprion frutetorum, 1117
Diptera, 11, 37, 69, 77, 81, 128, 145, 223, 296, 329, 369, 409, 555, 615, 724, 729, 731, 743, 757, 779, 811, 815, 931, 953, 976, 1048, 1092, 1116, 1125
Diptera, bloodsucking, sand and salt marsh invertebrates associated with, 681
Disparlure, attractant for lymantriid moths, 966
effect on *Brachymeria* oviposition, 485
field tests with, 1051
Dispersal, intratree, of pecan weevil, 927
Dispersal of: codling moths, 66
cotton arthropods, 863
tobacco budworms, 1085
Dissosteira carolina, 738
Distribution, flight, of *Inopus rubriceps*, 419
Distribution of: fall armyworm, 195, 415
foraging bees, 573
Orthoptera, 737
Disulfoton, against *Jalysus spinosus*, 242
combined with cycloate, effects on sugarbeets, 915
DN against spider mite, 634
Dodine against *Agistemus*, 220
Dodine + Supracide against *Agistemus* and *Panonychus*, 221
Dolichopodidae, associated with Diptera, 682
in alfalfa community, 664
Douglas fir beetle, antiaggregative pheromone of, 505
multifunctional pheromone of, 579
Douglure, management of *Dendroctonus pseudotsugae* with, 109
Drino sp., 798
Drywood termite, behavior, 587, 597
feeding preferences, 481
duPont Spreader Sticker inhibiting corn pollen germination, 473
Dyctyna sublata, 1067
Dye markers for tobacco hornworm moths, 393
Dyfonate, inhibiting corn pollen germination, 473

Ecology of black pineleaf scale, 765
Ecpantheria icasia, 1033
Effectiveness reduction in *Trichogramma*, 1069
Egg parasites of *Rubus* leafhopper, 381
Elateridae in alfalfa community, 662
Eleodes suturalis, food preferences, 105
ELF fields and soil arthropods, 643
Elm spanworm, parasitism of eggs, 705
parasitoid, release and recovery, 722
Emergence of alfalfa leafcutting bee, 23
Empididae in alfalfa community, 664
Empoasca fabae, 3
Enamel spheres, comparison with fluorescent spheres, 953
Encoptolophus sordidus, 738
Encyrtidae in alfalfa community, 664
Endosulfan, in burley tobacco, 845
inhibiting corn pollen germination, 473
Endosulfan against: *Agistemus*, 220
Jalysus spinosus, 241
Enemies of: cabbage looper, 1009
green peach aphid, control, 186
gypsy moth, 797
Enicospilus americanus, 639
Ennomos subsignarius, 722
Enoclerus lecontei, 581
Entomobryidae associated with Diptera, 682
Entomophthora muscae, 125
Environmental, chamber control system, 88
effects on *Chrysops* oviposition, 1048
monitoring and pest management, 889
Ephydridae associated with Diptera, 682
Epitrix hirtipennis, 240
EPN-300 against spider mite, 634
Eribalus longulus, 617
Erythraeidae in alfalfa community, 665
Erythroneura elegantula, 381
Ethion, inhibiting corn pollen germination, 473
Ethion against: alfalfa pests, 515
Chrysopa rufilabris, 478
Ethion + oil against *Chrysopa rufilabris*, 479
Ethylene oxide, amino acids in pollen fumigated with, 881
fumigation effects on pollen, 937
Eulophidae in alfalfa community, 664
Eupteromalus sp., 365
European red mite, population densities, 1064
Eurytomidae in alfalfa community, 664
Euschistus servus, 685
Extenterus spp., 624
Exorista larvarum, 125, 798
rossica, 124, 798, 964
segregata, 124, 798, 964
Eye gnat, organic wastes and soil additives producers, 409

Fall armyworm, distribution, 195, 415
Fall cankerworm, delayed parasitism, 1123
False wireworm, food preferences, 105
Fannia canicularis, 200, 801
femoralis, 200
Fecundity and egg hatch of stored-product moths, reduction, 147
Feeding, of stable flies, 1125
preferences of drywood termite, 481
Feltia subgothica, 963
Fenitrothion against: *Anopheles albimanus*, 370
Chironomus spp. and *Dicrotendipes* spp., 59
Fenthion against *Anopheles albimanus*, 370
Field corn plants infested by fall armyworm, 195
Fireflies of Melanesia, 991
Flight, activity of honey bee colonies, 525, 531
of gypsy moths, 957
Flour, stored-product insects in, 427
Flour beetle, chronic radiation and performance of, 41
population autocide of, 75
Fluctuating vs. static thermal environments, 491
Fluorescent spheres, comparison with enamel spheres, 953
Fluoride accumulation by insects, 179
Fomark inhibiting corn pollen germination, 473
Fomex inhibiting corn pollen germination, 473
Food, consumption of imported cabbageworm, 216
preferences of false wireworm, 105
Forficulidae in alfalfa community, 661
Formica schaufussi, 1103
Formicidae, associated with Diptera, 683
in alfalfa community, 665
Freezing and *Xylocoris flavipes*, 335
Frit fly, parasites reared from, 615
Fulgoridae in alfalfa community, 662
Fundal SP inhibiting corn pollen germination, 473
Fungi, role in survival of *Dermatophagoides*, 142

Galecron—Fundal against spider mite, 634
Galleria mellonella, 125, 485, 1121
sp., 1121
Gamma-irradiated pink bollworms, characteristics, 97
Gamma radiation, of pink bollworm, 653
to sterilized cabbage looper, 118
Gamma radiation and: Mediterranean fruit fly, 37
population performance, 41
Xylocoris flavipes, 335
Gardona, inhibiting corn pollen germination, 473
Gardona against: *Agistemus*, 220
Amblyseius fallacis, 487, 692
Typhlodromus occidentalis, 487
Geigy 13005 against *Jalysus spinosus*, 243
Gelis sp., 213
tenellus, 213
Genetic manipulation of house flies, 128
Genite against spider mite, 634
Geocoris bullatus, 345, 515
pallens, 345, 499, 515, 1011
punctipes, 240
sp., 346, 576, 865
Geometridae in alfalfa community, 663
Gnathamitermes perplexus, 956, 1122
Gnathoncus nanus, 200
Gracilariidae in alfalfa community, 663
Grandlure, controlling release, 829, 837
slow-release formulations, 905
Granulosis virus of *Pieris rapae*, 1109
Grape-pest management, 381
Grapholitha molesta, 252, 1039
prunivora, 254
Gray field slug, predaceous habits, 306
Green peach aphid, control of enemies, 186
predator impact on, 345
Greenbug, parasitization by *Aphelinus asychis*, 549
preference for sorghum, 351
storage of parasite of, 489
Gryllidae in alfalfa community, 661
Gryllus assimilis, 1035
pennsylvanicus, 738
veletis, 738
GS-13005 against *Jalysus spinosus*, 241
Gypsy moth, competition, 603
enemies, 797
field tests with sex pheromone, 1051
flight, 957
rearing and biology of parasites, 124
survey of parasitoids of, 964

Habrocytus phycidis, 213
Haematobia irritans, 223, 811, 976
Halictidae in alfalfa community, 665
Halticoptera aenea, 616
Haplothrips faurei, 1067
Hardwood tar oil to protect wheat seed, 1126
Harmonia axyridis, rearing, 301
Helanoplus sp., 180
Heliothis, nucleopolyhedrosis virus, stability, 302
Heliothis spp., 240, 245, 281, 304, 337, 865, 911, 1037, 1085
BL-chemosterilant feeder in reducing egg hatch, 159
Heliothis virescens, 159, 244, 424, 911, 1033, 1085
zea, 159, 195, 244, 281, 502, 593, 911, 919, 1009, 1034, 1070, 1121
zea fluctuating vs. static thermal environments and egg development, 491
Hemaris sp., 180
Hemerobiidae in alfalfa community, 662
Hemerobius sp., 562
Hemiptera, 186, 231, 240, 278, 304, 335, 345, 361, 421, 469, 685, 720, 1033
associated with Diptera, 683
Heptachlor against red flour beetle, 727
Heptyl butyrate, yellowjacket attraction to, 375
Herpetogramma bipunctalis, 521
Hesperiidae in alfalfa community, 663
Heterocampa manteo, 807
Heteroceridae associated with Diptera, 683
Heterolaccus grandis, biology, 112
Heteroptera, 231, 304
Heterotermes aureus, 956, 1122
Heterozygous translocation in house flies, 779
Hexacola hexatoma, 616
Hexalure, attractant for *Pectinophora gossypiella*, 488
Hexamermis arvalis parasitizing *Agrotis ipsilon*, 963
Heydenia unica, 268
High-temperature tolerance in termites, 1122
Hippelates, organic wastes and soil additives producers, 409
Hippelates collusor, 410
Hippodamia convergens, 139, 189, 345, 562, 865
parenthesis, 139
spp., 281
tredecimpunctata, 139
t. tibialis, 1067
Homoptera, 1, 351, 381, 549, 561, 697, 765, 1062
Homotropus decoratus, 365
Honey bee, carbophenothion and trichlorfon toxicity to, 27
flight activity, 525, 531
rearing *Harmonia* on brood, 301
responses to volatiles, 255
surfactants in water drown, 227
Horismenus texanus, 616
Hormones, control of livestock arthropods by, 69
Horn fly, control with sterile males, 976
Onthophagus gazella against survival, 811
rearing and biology, 223
Host-finding by a parasitoid, 921
influence on *Microctonus aethiops*, 971
resistance to pear psylla, 883
-seeking stimulants for *Trichogramma evanescens*, 593
specificity studies of thrips, 30
House dust environment, survival of *Dermatophagoides* in, 142
House fly, bait, 724
^{14}C-dieldrin penetration in, 296
dye-fed, photodynamic action in, 1092
genetic manipulation, 128
heterozygous translocation in, 779
larval development in poultry manure, 329
mirex against, 1058
muscalure sex attractant of, 555
reproductive isolation among, 77
response to baits in poultry ranches, 815
Humans exposed to *Baccillus popilliae* and *Popillia japonica*, 793
Hydrophilidae associated with Diptera, 682
Hylemya brassicae, 537
Hylobius radicis, 325
Hymenoptera, 23, 27, 112, 134, 138, 157, 182, 191, 216, 227, 255, 271, 278, 375, 381, 469, 489, 525, 531, 549, 569, 593, 759, 851, 859, 921, 971, 1067, 1098, 1101, 1104
Hypera postica, 3, 971
Hypoponera opacior, 1103

Hyposoter exiguae, 500, 1010
relationship to *Trichoplusia ni*, 759
Hyssopus sp., 213

Ichneumonidae in alfalfa community, 664
Imidan against: *Agistemus*, 220
Amblyseius fallacis, 487
oriental fruit moth, 1039
Typhlodromus occidentalis, 487
Imported cabbageworm, food consumption, 216
Imported fire ant, control by mirex bait, 182
juvenile hormone analogues of, 191
Indian meal moth and red flour beetle mortality, 726
Influence on sex ratio of *Bracon hebetor*, 134
Inopus rubriceps, flight distribution, 419
Ips oregoni, 776
sp., 180, 697
Iridomyrmex humilis, 562
pruinosum, 1103
Ischryopalpus nitidulus, 562
Isoptera, 397, 481, 587, 597, 954, 1122
Isotomidae associated with Diptera, 682
Itoplectis conquisitor, 798
evetriae, 213

Jadera rufofusca, 1035
Jalysus spinosus, 943
and insecticides, 240
spring biology, 421
Juvenile hormone analogues, and imported fire ant, 191
for stable fly control, 69

Kairomones for egg parasite, 593

Labidura riparia, 1103
Lacinipolia renigera, 963
Lacon subcostatus, 1035
Languriidae in alfalfa community, 662
Larch casebearer, parasites, 212
Larix occidentalis, 212
Lasiocampidae in alfalfa community, 663
Lasioderma serricorne, 401, 427, 720
Lasius alienus, 397
neoniger, 1103
spp., 398
umbratus, 397
Laspeyresia pomonella, 66, 208, 387, 673, 677, 783, 873
Latheticus oryzae, 428
Latrodectus mactans, 231
Lead accumulation by insects, 299
Lead arsenate against red mite, 1067
Leiophron, 271
apicalis, 271
pallipes, 271, 304
pseudopallipes, host-finding effects by, 921
rugulipennis, 277
sp., 304
Lepidoptera, 48, 66, 72, 86, 94, 97, 118, 124, 147, 149, 159, 173, 205, 208, 212, 216, 225, 244, 252, 335, 337, 339, 387, 393, 497, 519, 603, 607, 619, 627, 639, 653, 673, 677, 701, 705, 726, 727, 751, 783, 797, 807, 823, 873, 901, 911, 919, 939, 947, 957, 963, 965, 966, 967, 981, 986, 1009, 1024, 1033, 1039, 1051, 1074, 1078, 1085, 1109, 1113, 1123, 1128
Lepidoptera, sex pheromones, 488, 1081
Lepidopterous larvae, rearing, 339
Lepidosaphes ulmi, 1064
Leptinotarsa decemlineata, 941
Leptocoris rubrolineatus, 570
Leptophos inhibiting corn pollen germination, 473
Leptothrips mali, 562, 1067
Lespesia archippivora, 500
sp., 639
Lesser mealworm and avian viruses, relationship, 1043
Lestidae in alfalfa community, 661
Leucopis spp., 102
Liatongus militaris, 811
Libellulidae in arthropod community, 661
Life history of *Sennius*, 669
Linyphiidae in alfalfa community, 665
Lithophane antennata, 1064
Logging and slash burning vs. soil arthropods, 1016
Looper moths, nocturnal activity, 1078
Loxa flavicollis, 1035
Luciola, 992
discicollis?, 1006
(Pygatyphella) huonensis, 995
obsoleta, 1006
(Atyphella) peculiaris, 992
pupilla, 1001
rubiginosa, 992
(Atyphella) salomonis limbatipennis, 992
(L.) sp., 992
(Atyphella) testaceolineata, 995
(L.) wolfi, 992
Lycaenidae in alfalfa community, 663
Lycosa timuga, 1103
Lycosidae in alfalfa community, 665
Lydina polidoides, 95
Lygaeidae in alfalfa community, 661
Lygus elisus, 361, 517
flight and dispersal behavior, 361
hesperus, 361, 497, 515, 1009
lineolaris, 304, 921
rugulipennis, 278
sp., 305
Lymantria fumida, 966
obfuscata, 124
Lyriomyza sp., 4
Lysiphlebus testaceipes, 489
cold storage, 1104

Macrosiphum creelii, 515
Malathion against: alfalfa pests, 515
Anopheles albimanus, 370
Jalysus spinosus, 243
red flour beetle, 727
Management of *Dendroctonus pseudotsugae* with douglure, 109
Manduca quinquemaculata, 939
sexta, 49, 393, 421, 939
spp., 240
Mantidae in alfalfa community, 661
Mantis religiosa, 738
Mating of: southwestern corn borer, 225
velvetbean caterpillar, 1113
Medetera bistriata, 268
nigripes, 268
sp. nr. *modestus*, 268
sp. nr. *vidua*, 268
Medeterus sp., 180
Mediterranean fruit fly, nitrogen effect on, 37
Megachile rotundata, 23, 27, 515
Megachilidae in alfalfa community, 665
Melanic *Plodia interpunctella*, 1128
Melanoplus bivittatus, 570, 738
confusus, 738
femur-rubrum, 738
keeleri, 738

sanguinipes, 738
sp., 180
Melyridae, associated with Diptera, 683
in alfalfa community, 662
Membracidae in alfalfa community, 661
Mesopholobus sp., 213
Mesostigmata, 648
Metabolism of chlordimeform in cotton, 869
Metaphidippus protervus, 1067
Metasyrphus meadii, 365
venablesi, 365
Meteorus leviventris, 963
Metepa-sterilized *Dacus oleae*, sexual competitiveness, 731
Methomyl, against *Jalysus spinosus*, 241
inhibiting corn pollen germination, 473
Methoxychlor against: red flour beetle, 727
red mite, 1067
Methyl parathion against *Anopheles albimanus*, 370
Microcentrum triangulatum, 1035
Microctonus aethiops, host influence on, 971
Microplitis brassicae, 1010
Microweisia, 775
Migration of pink bollworm, 205
Milichiidae in alfalfa community, 664
Milky disease spore dust, humans exposed to, 793
Mimetidae in alfalfa community, 665
Mirex, against house fly, 1058
bait to control imported fire ant, 182
Miridae in alfalfa community, 661
Mites on soybeans, 319
Mordellidae in alfalfa community, 662
Mortality of: red flour beetle, 726
southwestern corn borer, 86
tobacco hornworm eggs on plants, 939
Mountain pine beetle, crowding effects, 285
population changes, 541
Mugho pine, carbofuran residues in, 262
Multi-film X-77 inhibiting corn pollen germination, 473
Multifunctional pheromone of: Douglas fir beetle, 579
southern pine beetle, 513
Multiplication of *Oryzaephilus* and *Tribolium* on natural diets, 176
Musca domestica, 77, 128, 200, 329, 555, 724, 779, 801, 815, 1058, 1092
d. calleva, 77
Muscalure, field evaluation, 555
Muscidae in alfalfa community, 664
Muscidifurax raptor, 200
zaraptor, 200
Muscina stabulans, 200
Myzocallis discolor, 698
spp. concentration on white oaks, 697
tuberculata, 698
Myzus persicae, 101, 186, 240, 306, 345

Nabidae in alfalfa community, 661
Nabis alternata, 345, 515
americoferus, 102, 345, 500, 515, 1009
sp., 346
Naled against: alfalfa pests, 515
beet armyworm, 498
Naled + toxaphene against beet armyworm, 498
Needle miner, resistance of lodgepole pine to, 947
Nematoda, 963
Neoconocephalus ensiger, 738
triops, 1035
Neodiprion lecontei, 1117
pinetum, 1117
p. pratti, 1117
sertifer, 1117
swainei, 623
taedae linearis, 1117
Nezara viridula, 685, 720, 1035
Neuroptera, 477
Nicotine sulfate against red mite, 1067
Nitidulidae in alfalfa community, 662
Nitrogen, gamma irradiation of Mediterranean fruit fly in, 37
Noctuidae in alfalfa community, 663
Nocturnal activity of looper moths, 1078
Nola sorghiella, 1116
Nomia melanderi, 515
Notoxus calcaratus, 500
sp., 281
Nuclear polyhedrosis virus: of *Heliothis* and rats, 337
on cabbage, 72
propagation, 339
Nuculaspis californica, 765
Nutrex inhibiting corn pollen germination, 473
Nymphalidae in alfalfa community, 663

Oak aphid concentration on white oaks, 697
Oak leaf roller, sex pheromone in, 1024
Oecanthus nigricornis, 738
quadripunctatus, 738
spp., 240
Oestrus ovis, bionomics, 11
Olethreutidae in alfalfa community, 663
Oligonychus illicis, 719
ununguis, 719
Olla abdominalis, 139, 562
Omite against: *Agistemus*, 220
spider mite, 634
Omite 12 against *Agistemus*, 220
Onthophagus gazella against horn flies, 811
Oniticellus militaris, 811
Ooencyrtus clisiocampae, 1124
clisiocampae, elm spanworm parasitism by, 705
release and recovery, 722
Ooencyrtus johnsoni, 238
kuwanai, 797
sp., 1124
Ophyra leucostoma, 200
Orangestriped oakworm, susceptibility to *Bacillus thuringiensis*, 807
Orchelimum gladiator, 738
Organic wastes and soil additives producers of eye gnats, 409
Oriental fruit moth, attractant synergists, 252
monitoring for sex pheromone, 1039
Orius insidiosus, 5, 865
sp., 515, 562
tristicolor, 189, 346, 500, 1009
Orthoptera, 737, 807, 1033
distribution, 737
Oryzaephilus mercator, 176
spp., multiplication on natural diets, 176
surinamensis, 176, 401, 428
surinamensis, light, tactile, and humidity responses, 931
Oscinella frit, parasites reared from, 615
Osmia lignaria, 157
Ostrinia nubilalis, 537
Otiorhynchus sulcatus, temperature and RH effects on, 855
Otitidae associated with Diptera, 682
Oulema melanopus, 791, 1089
sweepnet sampling for, 161

Ovex against spider mite, 634
Oviposition, attractant by *Aedes atropalpus*, 729
by *Brachymeria intermedia*, 485
of velvetbean caterpillar, 1113
Oxygen toxicity in *Tribolium*, 293
Oxythioquinox against: *Agistema*, 220
spider mite, 634

Pachydiplex longipennis, 1102
Pachyneuron allograptae, 365
sp., 365
Palexorista sp., 798
Palorus ratzeburgi, 428
Panonychus ulmi, 219, 486, 633, 1064
Papilionidae in alfalfa community, 663
Parasites, reared from frit fly, 615
Parasites of: larch casebearer, 212
tarnished plant bug, 304
Parasitism, delayed, of fall cankerworm eggs, 1123
Parasitism of: elm spanworm eggs, 705
lepidopteran eggs by *Trichogramma*, 1121
Perilitus coccinellae, 138
Parasitization of cabbage aphid enemies, 365
Parasitoid strategies and communities, 623
Parathion, inhibiting corn pollen germination, 473
Parathion against: alfalfa pests, 515
Anopheles albimanus, 370
house flies, 1058
oriental fruit moth, 1039
spider mite, 634
Parathion + endosulfan against *Jalysus spinosus*, 243
Paratrechina sp., 1103
Pathogenicity of fungi to southern pine beetle, 54
Patrocloides montanus, 1010
Pea aphid, alfalfa resistance to, 1
Pear psylla, host resistance to, 883
Pecan weevil, intratree dispersal of, 927
Pectinophora gossypiella, 97, 173, 205, 653, 967
hexalure attractant for, 488
sex pheromones, 1081
Pediasia trisecta, 94
Penetration of ^{14}C-dieldrin in house flies, 296
Pentatomidae in alfalfa community, 661
Perilitus coccinellae, 138
Peristenus, biology of species, 271
digoneutis, n. sp., 271
rubricollis, 274
stenodemae, n. sp., 273
stygicus, n. sp. 272
stygicus, biology, 278
Pest management: and environmental monitoring, 889
on alfalfa, 515
Pesticide degradation products, 1029
Peucetia viridens, 239
Phaenicia sericata, 801
nr. *sericata*, 200
Phalacridae in alfalfa community, 663
Phalangiidae in alfalfa community, 665
Pheidole dentata, 1103
Phenacaspis pinifoliae, 766
Pheromone, *Scolytus multistriatus* as source, 355
Phiddipus sp., 239
Philonthus sordidus, 200
Phloeothripidae in alfalfa community, 661
Phobocampe disparis, 798
Phorate against alfalfa pests, 515
Phormia regina, 801
Phosalone against: *Agistemus*, 220
Amblyseius fallacis, 487
Typhlodromus occidentalis, 487
Phosphamidon against *Agistemus*, 220
Phostex against alfalfa pests, 515
Phosvel against *Agistemus*, 220
Photodynamic action in house flies, 1092
Photophorus bakeweli, 992
Phycitid moths, reduction of fecundity and egg hatch in, 147
Phyllophaga microphylla, 1035
portoricensis, 1036
Phymatidae in alfalfa community, 661
Phytocoris spp., 1068
Pieridae in alfalfa community, 663
Pieris japonica, 720
rapae, 216, 537, 1121
granulosis virus, 1109
Piesmatidae in alfalfa community, 661
Pine root collar weevil control in red pine, 325
Pine sawfly, ranges, 1117
Pink bollworm, characteristics of gamma-irradiated, 97
chromosomal aberrations in, 173
diapause termination in, 967
gamma irradiation, 653
migration, 205
response to hexalure-baited traps, 965
Pisauridae in alfalfa community, 665
Platygaster sp., 213
Platynota stultana, temperature effect on, 823
Pleolophus basizonus, 625
Plictran against: *Agistemus*, 220
spider mite, 634
Plodia interpunctella, 147, 403, 428, 726
development of *Xylocoris* on eggs, 335
feeding behavior, 627
for sterile-male technique, 1128
Podisus maculiventris, 1068
serieventris, 1068
Poduridae associated with Diptera, 682
Pogonomyrmex badius, 1103
Pollen, amino acids in, 881
ethylene oxide fumigation effects on, 937
Polymerus unifasciatus, 278
Popillia japonica, 299
humans exposed to, 793
Population, densities of European red mite, 1064
dynamics study of *Heliothis*, 244
Porthetria dispar, 124, 603, 797, 957, 964, 966, 1051
Poultry manure, degradation, 801
house fly larval development in, 329
Poultry ranches, house fly response to baits in, 815
Praon palitans, 516
sp., 189
Predaceous habits of gray field slug, 306
Predator, impact on green peach aphid, 345
Predators of: *Solenopsis invicta*, 1101
Tabanidae, 1116
Predicting parasitism by *Aphelinus asychis*, 859
Pristomerus sp., 213
spinator, 500
Profile of *Culex (Melanoconion) aikenii*, 81
Propoxur against: alfalfa pests, 516
Anopheles albimanus, 370
Prostigmata, 648
Protection of wheat seed, 1126
Protophormia terra-novae, 801
Prospaltella, 772
Pseudatomoscelis seriatus, 865
Pseudococcidae associated with Diptera, 683
Pseudoplusia includens, 1078
Pseudopomala brachyptera, 738

Psychodidae associated with Diptera, 683
Psylla pyricola, 883
Psyllidae in alfalfa community, 662
Pterophoridae in alfalfa community, 663
Pteroptyx, 997
antennata, 1001
cribellata, 999
sp., 995
Pylac against oak insects, 807
Pyralidae in alfalfa community, 663
Pyrethrins against red flour beetle, 727
Pyrus communis × *P. ussuriensis*, pear psylla resistance to, 883

Quantifying pitfall trapping, 951

Ranges of pine sawflies, 1117
Rats, teratogenic potential in, 337
Rearing: cabbage looper and other lepidopterous larvae, 339
gypsy moth parasites, 124
Harmonia axyridis, 301
horn fly, 223
Recapture of apple maggot, 757
Recovery of elm spanworm egg parasitoid, 722
Recurvaria sp., 947
Red flour beetle, mortality, 726
Red pine, pine root collar weevil control in, 325
Reduviidae in alfalfa community, 661
Refrigerator for bio-ecological studies, 1118
Regulaid inhibiting corn pollen germination, 473
Relationship between: *Hyposoter exiguae* and *Trichoplusia ni*, 759
lesser mealworm and avian viruses, 1043
Relative humidity effects on black vine weevil, 855
Release of elm spanworm egg parasitoid, 722
Reovirus 24 and lesser mealworm, 1043
Reproductive isolation among house fly strains, 77
Residues of aquatic midge larvicides in environment, 58
Resistance, carbamate and organophosphorus, in *Amblyseius*, 691
host, to pear psylla, 883
in *Anopheles albimanus* by sprays, 369
Resistance of: alfalfa to pea aphid, 1
lodgepole pine to needle miner, 947
Responses, light, tactile, and humidity, of *Oryzaephilus surinamensis*, 931
Reticulitermes flavipes, ants as predators, 397
Rhagionidae in alfalfa community, 664
Rhagoletis pomonella, 743, 757, 953, 1064
Rhopalidae in alfalfa community, 661
Rhopalosiphum maidis, 282, 859
Rhyzopertha dominica, 403, 428, 1126
Rice, stored-product insects in, 427
Rogas indiscretus, 124, 798
Roptrocerus xylophagorum, 268
Rothschildia aroma, disruption of parasitism, 639
Rubus leafhopper and its egg parasitoid, 381

Salticidae in alfalfa community, 666
Sand and salt marsh invertebrate fauna and bloodsucking Diptera, 681
Sarcophaga bullata, 801
Sarcophagidae in alfalfa community, 664
Sathrobrota rileyi, 428
Scaeva pyrastri, 365
Scambus transgressus, 213
Scarabaeidae, associated with Diptera, 683
in alfalfa community, 662
Scatopsidae associated with Diptera, 683
Scelionidae associated with Diptera, 683
Schistocerca alutacea, 738
pallens, 1033
Schizaphis graminum, 282, 351, 489, 549, 859, 1104
Scimnus cinctus, 865
Sciomyzidae associated with Diptera, 683
Scolopscelis mississippensis, 268
Scolytidae in alfalfa community, 663
Scolytus multistriatus pheromone, 355
ventralis, competition and survival, 447
Screwworm, chemosterilization, 145
Scudderia furcata, 738
Scymnus spp., 102, 139, 346
Self-marking of Tabanidae, 960
Sennius, life history, 669
fallax, 670
medialis, 670
morosus, 669
simulans, 670
Sepedon sp., 1116
Sequential sampling for cabbage looper, 901
Sex pheromone, for monitoring oriental fruit moth, 1039
in oak leaf roller, 1024
traps baited with, 1074
Sex pheromone of: gypsy moth, disparlure, 1051
Lepidoptera, 488, 1081
summerfruit tortrix moth, 751
Sex ratio influence on *Bracon hebetor*, 134
Sexual competitiveness of *Dacus oleae*, 731
Sheep bot fly, bionomics, 11
Shrimp, testing for susceptibility to nuclear polyhedrosis virus, 611
Simulation of intraspecific competition, 447
Sinea, 500
Sipha flava, 859
Sitophilus granarius, 428
oryzae, 403, 428, 1126
zeamais, 428
Sitotroga cerealella, 428, 1121
sp., 1121
Slow-release, formulations of grandlure, 905
plastic formulation of cabbage looper, 607
Sminthuridae in alfalfa community, 665
Sod webworm, biotic control, 94
Soil, acari and Collembola populations, 1016
arthropods and ELF, 643
carbofuran persistence and degradation in, 461
dimethoate in, 309
extraction of bean leaf eggs from, 441
mesofauna, and burning, 433
Solenopsis geminata, 1103
invicta, 182, 191, 1058
invicta, predators, 1101
richteri, 182, 191, 1101
saevissima, 191
sp. 1117
Somatochlora provocans, 1102
Sorghum, greenbug preference for, 351
Sound production in Scolytidae, 505
Southern green stink bug, damage to soybeans, 685
soybean seed damaged by, 720
Southern pine beetle, entomophagous insects arrival to trees infested with, 267
multifunctional pheromone of, 511
pathogenicity of fungi to, 54
Southwestern corn borer, mating behavior, 225
mortality, 86
Soybean, and bean leaf beetle eggs, 441
seed, cigarette beetle in damaged, 720

southern green stink bug damage on, 685
spider mites and weather, 319
velvetbean caterpillar behavior in, 1113
Spalangia cameroni, 200
drosophilae, 615
endius, 200
Spathius pallidus, 268
Species diversity in arthropods, 1097
Sphaerophoria cylindrica, 365
sulphuripes, 365
Spharagemon bolli, 738
collare, 738
Sphecidae in alfalfa community, 665
Sphingidae in alfalfa community, 663
Spider mite, control, 633
Spilochalcis albifrons, 213
Spissistula festinus, 716
Spodoptera exigua, 339, 497
frugiperda, 195, 415
littoralis, 135
Spotted cucumber beetle, attractance, 154
Spruce beetle, traps for, 259
Spruce budworm, defoliation and balsam fir, 727
Spruce spider mite, *Stethorus punctillum* associated with, 718
Stable fly, control, 69
feeding on beef cattle, 1125
Staphilinidae, associated with Diptera, 682
in alfalfa community, 662
Stenodema calcaratum, 277
virens, 277
Sterile-male, control of horn flies, 976
technique, *Plodia interpunctella* for, 1128
Sterile pink bollworm, chromosomal aberrations cause, 173
Sterile releases of codling moths, trap comparisons, 873
Stethorus punctillum associated with spruce spider mite, 718
punctum, 1068
Sticky tapes to measure fly densities, 199
Stomoxys calcitrans, 69, 200, 1125
Stored-product insects, in: boxcars, 427
port warehouses, 401
Stratiomyiidae, associated with Diptera, 683
in alfalfa community, 663
Strip-cropping effect on cotton insects and spiders, 281
Subterranean termites, high-temperature tolerance, 1122
preparation, 721
Sugarbeets, disulfoton and cycloate combination effects on, 915
predator impact of green peach aphids on, 345
Sugarcane, *Inopus rubriceps* pest, 419
resistance evaluation in sugarcane borer, 149
Sugarcane borer, host plant resistance to, 149
Summerfruit tortrix moth, sex pheromones, 751
Suppression of cereal leaf beetle, 1089
Supracide against *Agistemus*, 220
Susceptibility of oak insects to *Bacillus thuringiensis* var. *alesti*, 807
Sweepnet sampling for cereal leaf beetle, 161
Sweet corn hybrid + insecticides to reduce corn earworm losses, 919
Synanthropic flies, attractants for, 815
emergence, 199
Synchronous flashing of fireflies, 991
Synergists for sex attractant, 252
Synthetic lures for yellowjacket suppression, 569
Syrphidae in alfalfa community, 664
Syrphus opinator, 365
Tabanidae, associated with Diptera, 683
predators, 1116
self-marking, 960
Tabanus atratus ssp., 684
fusciostatus, 961
lineola, 684, 961
nigrovittatus, 684
spp., 960, 1117
Tachinid parasitoids of gypsy moth, survey, 964
Tachinidae in alfalfa community, 664
Tarnished plant bug, host-finding effects by, 921
parasites, 304
Tehama bonifatella, 94
Telenomus alsophilae, 722, 1123
elm spanworm parasitism by, 705
Telenomus sphingis, 939
Temnochila sp., 180
Temperature and: chemosterilization of screwworm, 145
greenbug preference for sorghum, 351
moisture and soybean mites, 319
Temperature effect on: alfalfa caterpillar color, 619
black vine weevil, 855
diapause termination in pink bollworm, 967
Platynota stultana, 823
sugarcane borer survival, 983, 986
Tenebrio molitor, 428
obscurus, 428
Tenebroides collaris, 268
mauritanicus, 428
TEPP against: alfalfa pests, 515
Amblyseius fallacis, 487
spider mite, 634
Typhlodromus occidentalis, 487
Teratogenic potential in rats, 337
Termites, desert subterranean, foraging behavior, 954
Tetradifon against spider mite, 634
Tetragnata versicolor, 1067
Tetramorium caespitum, 398
Tetranychidae in alfalfa community, 665
Tetranychus desertorum, 319
gloveri, 319
sp., 719
telarius, 319
tumidus, 319
turkestani, 319
urticae, 219, 319, 486, 517, 633
Tetrastichus coerulescens, 213
dolosus, 213
ecus, 213
xanthops, 213
Tetrigidae in alfalfa community, 661
Tetrix subulata, 738
Tettigidea lateralis, 738
Tettigoniidae in alfalfa community, 661
Texas leafcutting ant, responses to halo- and cyanopyrroles, 851
Thanasimus dubius, 268
Thanatus striatus, 1067
Theridiidae in alfalfa community, 665
Theridium murarium, 1067
Therion californicum, 500
Thermodynamics of fluctuating vs. static thermal environments on *Heliothis zea*, 491
Theronia atalantae fulvescens, 798
Thomisidae in alfalfa community, 665
Thripidae, associated with Diptera, 683
in alfalfa community, 661
Thuricide HPC against oak insects, 807
Thysanoptera, 30

Tingidae in alfalfa community, 661
Tipulidae associated with Diptera, 683
Tobacco, occurrence of *Jalysus spinosus* on, 421
Tobacco budworm, comparison with bollworm numbers, 911
  dispersal, 1085
  population dynamics study of, 244
Tobacco hornworm, dye markers for moths, 393
  mortality of eggs on plants, 939
  suppression with sterile males, 48
Tobacco pests, *Jalysus spinosus*, 240
Tolerance to parathion influenced by host plant, 537
Tortricidae in alfalfa community, 663
Toxicity of: apple orchard pesticides, 219
  carbophenothion to bees, 27
  insecticides to *Typhlodromus occidentalis* and *Amblyseius fallacis*, 486
  oxygen in *Tribolium*, 293
  trichlorfon to bees, 27
Trail pheromones, 851
Tramea carolina, 1102
Translocation of carbofuran in mugho pines, 262
Trapping, BL, changes in species during program, 1033
  pitfall, method for quantifying, 951
Trap, comparisons and sterile releases of codling moths, 873
Trap catches: comparisons of codling moth releases, 873
  vs. weather, of cabbage loopers, 1074
Traps, bait, for oriental fruit moth, 1039
  BL, and cotton pests, 911
Traps, box, for oak leaf roller, 1025
  cacodylic acid as, for spruce beetles, 259
  Codlemone-baited, and codling moth, 677
  drop, for insect sampling, 214
  female-baited and codling moth, 673
  hexalure-baited, pink bollworm response to, 965
  Johnson, for gypsy moths, 1052
  Johnson, for oak leaf roller, 1025
  light, population dynamics study with, 244
  perimeter, for yellowjacket suppression, 569
  pheromone, for oriental fruit moth, 1039
  pheromone, nocturnal activity of looper moths in, 1078
  sex-attractant and codling moth, 387
  sex-pheromone, and cotton pests, 911
  sticky-board, recapture of apple maggot in, 757
  tube, for gypsy moth, 1052
Triarimol against *Agistemus*, 220
Triarimol + Imidan against *Agistemus* and *Panonychus*, 221
Tribolium audax, 428
  castaneum, 42, 176, 293, 401, 427, 726
  confusum, 42, 176, 293, 403, 428, 1126
  confusum, population autocide of, 75
  spp., multiplication on natural diets, 176
  spp., oxygen toxicity in, 293
Trichlorfon, inhibiting corn pollen germination, 473
  toxicity to bees, 27
Trichlorfon against: alfalfa pests, 516
  Jalysus spinosus, 243
Trichogramma, 217
  effectiveness reduction in, 1069
  parasitism of lepidopteran eggs by, 1121
Trichogramma evanescens, lairomones for, 593
  minutum, 939, 1124
  pretiosum, 1070, 1121
  semifumatum, 1070
  spp., BL-chemosterilant feeder to reduce egg hatch of *Heliothis*, 159
  spp., to reduce *Heliothis* egg hatch, 159
Trichomalus statutus, 616
Trichoplusia ni, 118, 339, 607, 701, 901, 1009, 1069, 1074, 1078, 1121
  nuclear polyhedrosis virus on, 72
  relationship to *Hyposoter exiguae*, 759
Trichoplusia oxygramma, 1078
Trichopoda pennipes, 237
Trioxys pallidus, 561
Triton B-1956 inhibiting corn pollen germination, 473
Trogoderma glabrum, 428
  spp., 429
  variabile, 428
Trypargilum clavatum, 157
Tydeidae in alfalfa community, 665
Typhaea stercorea, 428
Typhlodromus fallacis, 1067
  longipilus, 1067
  occidentalis, insect toxicity to, 486
  pomi, 1067
  rhenanus, 1067

Vanessa cardui, 1070
  carye, 1070
Variable oakleaf caterpillar, susceptibility to *Bacillus thuringiensis*, 807
Venturia aequalis, 1064
Verbenone, and southern pine beetle, 511
Vespidae in alfalfa community, 665
Vespula acadica, 376
  (Dolichovespula) arenata, 376
  atropilosa, 375
  consobrina, 376
  maculifrons, 717
  pensylvanica, 375, 569
  spp., attraction to heptyl butyrate, 375
  spp., baits for, 717
  squamosa, 717
  vidua, 717
Vogtia malloi to control alligatorweed, 519
Voria ruralis, 500

Walkingstick, susceptibility to *Bacillus thuringiensis*, 807
Walnut aphid, biological control, 561
Warehouses, stored-product insects in, 401
Weather, and soybean spider mites, 319
  vs. trap catches of cabbage loopers, 1074
Wheat, cereal leaf beetle suppression with resistant, 1089
  protection of seed, 1126
White oaks, *Myzocallis* spp. concentration on, 697

Xylocoris flavipes, development, 325
Xysticus emertoni, 1067

Yellowjackets, attraction to heptyl butyrate, 375
  baits for, 717
  traps for suppression, 569

Zagrammosoma americanum, 213
Zelus, 500
Zetsellia mali, 1065